IMPORTANT: THIS MANUAL MUST BE KEPT NEAR THE FURNACE FOR FUTURE REFERENCE!!

irco



Oil Fired Warm Air Furnaces UMLA/UMLVA DV (Multipoise Models)

Airco Olsen	Airco Olsen	-Airco Olsen
UMLA Four Position Multipoise Model UMLVA	Direct Vent Supplement UMLA / UMLVA Oil Fired Warm Air Furnaces INSTALLATION, OPERATION & MAINTENANCE MANUAL	OIL FIRED WARM AIR FURNACE Homeowner Instructions
Four Position Multipoise Model with ECM Series A Oil Fired Warm Air Furnaces	Eventing Fire, explosion, apphysiation and electrical shock hazard. Improper installation could result in death or serous injury. Read this manual and understand all requirements before beginning installation.	Fire, explosion, aspiviation and electrical shock hazard. Improper installation and operation could result in death or serious injury. Read this manual and understand all requirements before operating furnace.
INSTALLATION, OPERATION & MAINTENANCE MANUAL	NOTICE Information contained in this manual pertains to oli fired intert vent finances equipped with manufacturer provided and field installed blocked vent safety control system (pressure switch).	and liquids. Do not stack, box-in, or store items within the required clearance to combustibles. DO NOT obstruct air openings to the furnace room. Modification, substitution or elimination of factory equipped, supplied or specified components: may result in personal injury or 10 THE OWNER – Installation and service of this apoliance must be performed by a
	STATE, AND FEDERAL CODES WHICH MY DIFFER FROM THIS MANUAL	o unified instation to be performed by a unified instation of the second
ECR international Kendatard In Clamatardia Zimentardia	ECR International Biodefaulty ECR International Biodefaulty ECR International Exception	ECR international Knowned Sectors

Installation, Operation & Maintenance Manual 240010964 REV J [03/15/2018] Manual 240011300 REV E [03/15/2018]

Installation, Operation & Maintenance

User's Information Manual 240006450 REV C [03/15/2018]

OLSEN-AIRCO OIL FURNACES AI LIMITED WAR		
Effective Date - February 2017 THIS LIMITED WARRANTY GEVES THE ORGENAL PHECHASER SOLVE SPECIFIC LEGAL RIGHTS AND YOU MAY ALSO HAVE OTHER LEGAL RIGHTS WHICH VARY RROM STATE-TO-STATE AND PROVINCE FOR PHOTOMEC Photometry and the state of the		
WWW2000 descently estimated "Climited Wormshy"). ECR international, Inc. ("ECR") issues hinted warmatise from the date of the transformation of the effect mannershy as predicted beening of the plotshift Onion-Auro: 0.04 Finance, "Distribution, the ord- ner risk produced for non-Finance devices (a) from the ICC brance of each of the stress of a leady commendation, the ord- field of the transformation of the the ICC brance of the produced for non-finance devices (a) from the ICC brance and other or wholescafe for installation and use in the newly omitteed hours: EXEMPTIONAL INITIAL INITIALISA INITIALI	BESIDENTIAL TYPE TO A BAYS INFORM TO THE REALTY INFORMATION TO A TRANSMERT OF THE ADDRESS OF	
For themsel Nationard Vigr. 157 warman is one for do not the first part of the popular bandwares to the Organ Parkanes, ring his or between the first first hard the Heal Eachanger in Orse-Area Of Frances will be for the first hard hard and wardhandling in the creater the first first hard hard hard hard hard hard hard hard	The 5-for Para Linned Warrary shall not apply to somal minimum can be unabled by to to line of the schubels, but solution with the schubel schubel schubel schubel schubel with the schubel schubel schubel schubel schubel with the schubel s	

Limited Warranty 240005038 REV E [02/01/2017]





Warranty Registration 1595023 REV D



Envelope Assy Master 3002331 REV H [03/15/2018]