Trade Price Book - 2017

Effective 9/5/17





ARM-4P AZ-6CP

Customer Service Technical Support

Phone: 800-325-5479 Fax: 315-724-9319/866-432-7329

www.argocontrols.com

Corporate Sales

Phone: 877-386-5475 Fax: 716-366-4670

Literature

literature@ecrinternational.com



ECR International: 2201 Dwyer Avenue, Utica, NY 13501 Tel. 315 797 1310 or 800 325 5479 Fax. 315 724 9319 www.ecrinternational.com P/N 240004993 Rev. D 8/17

TERMS & CONDITIONS OF SALE - GENERAL TERMS

PRICES & SPECIFICATIONS: All pricing and specifications subject to change without notice. The prices herein supersede all prior quotations.

PAYMENT TERMS: Net 30 Days

ORDERS: Orders will be accepted on the basis of prices in effect at the time the order is received. No order or contract will become an obligation on our part until accepted by the General Sales Department. ECR International shall not be liable for any delay or failure in the delivery or shipment of goods due to any cause or causes beyond its control.

TAXES: Add to the prices and terms quoted any manufacturers' or sales tax payable on the transaction under any effective statute.

SHIPMENT

ARGO CONTROLS SHIPPING:

- 1) In Stock Control orders placed by 11am EST ship same day ground.
- 2) In Stock Control orders placed post 11am EST ship next day ground.
- 3) Control orders that are to be combined with other ECR equipment to make freight terms will ship when all product on the combined order is complete.
- 4) Orders requiring expedited shipping modes (Next Day Air, etc.) are available upon request.

ARGO ELECTRIC BOILERS SHIPPING:

1) Electric Boilers are shipped per the manufacturing lead time at the time of order, generally three (3) days from date of order receipt.

FREIGHT TERMS

- 1) Boilers 12 units or more, single destination ship freight prepaid, less than 12 unit quantities ship at customer's expense.
- 2) Controls \$2,000 or more, single destination ship freight prepaid, less than \$2,000 control values ship at customer's expense.

COMBINED ECR PRODUCT & BRAND SHIPMENTS

1) Authorized Distributors can combine Argo product with Airco, EMI, Dunkirk, Olsen, Pennco and Utica on one purchase order to make \$40,000 minimum value and earn free freight.

LESS THAN TRUCKLOAD SHIPMENT: F.O.B. ECR INTERNATIONAL - FACTORY OR WAREHOUSE ORDER INFORMATION CHECKLIST

SEE PAGE 6 FOR SERVICE PARTS

- 1) Purchase Order Number
- 2) Bill To Address
- 3) Ship To Address
- 4) Method of Shipment (i.e. trailer load, UPS, etc.)
- 5) Requested Ship Date
- 6) Special Instructions (i.e. "Carrier to call...")
- 7) Pricing
- 8) Product Description (i.e. Model, Size, Series, etc.)
- 9) Fuel Characteristics (i.e. Oil, Natural Gas, Propane)
- 10) Electrical Characteristics (i.e. Operating Voltage, Cycles, Phases, etc.)
- 11) Non-Standard Equipment (Indicate "Optional" when substituted for standard equipment at extra cost added to standard equipment).
- 12) Kits or Parts (Orders for kits or parts must indicate equipment size and series).
- 13) Send orders to:

E-Mail: ecrorderentry@ecrinternational.com Fax: 315-724-9319

14) Please note the following Remit To Address:

ECR International, Inc. P.O. Box 8000 Department 039 Buffalo, NY 14267

Continued on Next Page

TERMS & CONDITIONS OF SALE - GENERAL TERMS CONTINUED U.S. DISTRIBUTOR - RETURN MATERIAL POLICY - EFFECTIVE 8/18/2014

To assist in providing the best service to our valued customers, ECR International has developed the following guidelines to help you in the unlikely event that you will need to return merchandise purchased from us. These guidelines have been developed after carefully reviewing common industry practice. We trust that you find them fair and easy to follow.

<u>Prior Approval Required</u> - All returns for <u>exchange</u>, <u>credit</u>, <u>repair service or warranty claim</u> must be approved by ECR and require an RMA number prior to return of the material. A request must be completed via ECR International's online web portal. Please log on to www.ecrcustomerportal.com (hyperlink below) to complete your request for return. If you do not already have access to the customer web portal please contact ECR Customer Service at 1-800-325-5479 to be set-up.

<u>Eligibility</u> - An RMA Request must be received within 60 days from the date of invoice for returns of New & Unused product in original packaging. A restocking fee of 15% will be charged for all new and unused returns that are approved for return. Special Order Products (items not offered as standard in ECR trade price book) are not eligible for return as new and unused product. Request for Warranty Returns must be made within the period covered by the warranty and must fall under the terms and conditions specified in the warranty.

<u>Repair Service</u> - Request for repair or rework of product damaged by customer is classified as Repair Service. Repair Service is billed at \$75.00 per hour for labor and net price for parts used in repair/rework. ECR's Return Material (RM) department will evaluate the items returned for repair service. The customer will receive an estimate for the dollar amount, determined by ECR's RM department, required to complete the repairs requested. A Purchase Order (PO) from the customer for that amount will be required before any work is performed.

RMA Expiration - Once the RMA number is issued, the product must be returned within 90 days of the RMA date, or the RMA will be canceled. Products approved for return that are received after 90 days from the RMA date will not be accepted.

<u>Shipping & Packaging</u> - All returns must have a valid RMA number clearly displayed on the exterior of the package or the package will not be accepted. All returns of new and unused product must be in the original packaging. All returns must be shipped prepaid by the customer unless otherwise directed by ECR as indicated on the RMA Verification. Ship all approved return material to the facility indicated on the approved RMA Request by the date indicated.

<u>Replacement Product</u> - If replacement product is desired it must be indicated on the RMA Request. A PO# is required for the replacement shipment and must be indicated on the RMA Request. All replacement products will be invoiced at the time of shipment. ECR will pay the ground freight for all warranty replacements.

<u>Application of Credit</u> - Credit for returned product will be applied to the customer's account (less restocking fees for New and Unused returns) only after confirmation of receipt by ECR and inspection of the product. Issuance of a credit for a partial return of product does not relieve the customer from the obligation to remit payment for the merchandise not returned in accordance with the payment terms referenced on the customer's invoice(s). Customer will have the option to have any product that is denied for credit returned at their expense.

http://www.ecrcustomerportal.com

SWITCHING RELAYS & ACCESSORIES					
P/N	MODEL	DESCRIPTION		TRADE	
F/IN				PRICE	
Z140C	*AR822-II	SINGLE ZONE (DPDT)	2.7	\$84	
Z209	*AR861-2II	TWO ZONE W/PRIORITY (Replaces AR861-2)	4.0	\$185	
Z210	*AR861-3II	THREE ZONE W/PRIORITY (Replaces AR861-3)	4.0	\$214	
Z165	*IR882	ISOLATION RELAY-3 ZONE-24VAC-SPST (Req. sep. transformer)	0.5	\$84	
	DPM-2	OUTDOOR TEMPERATURE BOILER RESET MODULE		\$345	
Z172		(Plugs into data port on ARM and AZ-CP Series Relays, can be hard wired as a standard	2.0		
2172		alone control or used with other relays. Built-in priority, override. Includes	2.0		
		sensors and sunshield.)			
		ARM SWITCHING RELAYS			
P/N	MODEL	DESCRIPTION	WGT EA	TRADE	
F/IN		DESCRIFTION	LBS	PRICE	
Z212	*ARM-2P	TWO ZONE W/PRIORITY	2.7	\$204	
Z213	*ARM-3P	THREE ZONE W/PRIORITY	4.0	\$257	
Z214	*ARM-4P	FOUR ZONE W/PRIORITY	4.0	\$327	
Z216	*ARM-6P	SIX ZONE W/PRIORITY	6.0	\$359	
Z158	*AD-1	ONE ZONE EXPANSION MODULE	2.5	\$102	
Z164	*AD-4	FOUR ZONE EXPANSION MODULE	4.0	\$271	
OTANDADD E	TATUDEO D.:	this principle and the time are also transis from 2001/A transferred and ADM OD be a 2001/A) is also	بملح لأنبيم الممتح المما		

STANDARD FEATURES: Built-in priority safety timer; electronic fuse, 30VA transformer (ARM-2P has 20VA); isolated end switch;

data port; add-on modules up to 15 zones; field replaceable transformers and premium plug-in relays.

ZONE VALVE CONTROLS W/PRIORITY

		ZONE VALVE CONTROLS W/PRIORITY					
P/N	MODEL	DESCRIPTION	WGT EA	TRADE			
. , , ,		DECOMM HON	LBS	PRICE			
	<u> </u>	4 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY					
Z297	*AZ-4CP	(Inc. 40VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port	4.0	\$236			
		6 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY					
Z298	*AZ-6CP	(Inc. 75VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port	7.0	\$310			
		ZONE VALVE CONTROLS					
P/N	MODEL	DESCRIPTION	WGT EA	TRADE			
F/IN	MODEL	DESCRIPTION	LBS	PRICE			
Z157	AZ-3	3 ZONES (Inc. 40VA Transformer, 2 Sep. End Switches)	4.0	\$141			
Z147	AZ-5	5 ZONES (Inc. 75VA Transformer, 2 Sep. End Switches)	7.0	\$179			
HYDRO-AIR CONTROLS							
P/N	MODEL	DESCRIPTION	WGT EA	TRADE			
_		DESCINI HON	LBS	PRICE			
Z181	ARH-1	1 ZONE (Or Expansion Module When Used With ARH-2/ARH-3)	2.0	\$142			
Z179	ARH-2	2 ZONES (1 Air Handler & 1 Priority)	2.0	\$194			
Z180	ARH-3	3 ZONES (2 Air Handlers & 1 Priority)	3.0	\$284			
A10	A-10	REPLACEMENT STRAP-ON AQUASTAT	<1.0	\$53			
240010493		FREEZE-STAT AQUASTAT	<1.0	\$250			
		AMB MODULAR BOILER SEQUENCERS					
P/N	MODEL	DESCRIPTION	WGT EA	TRADE			
F/IN	WIODEL		LBS	PRICE			
AMB8A	*AMB-8A	8 BOILER SEQUENCER (w/Outdoor Reset, DHW Priority Override, Equal	8.0	\$1,017			
AMIDOA	AND	Run Time Rotation, Inc. Sensors, Sunshade & Immersion Well)	0.0	Ψ1,011			

*Indicates a CSA certified model.

SEE PAGE 7 FOR SERVICE PARTS

AT SERIES C - 2 ELEMENT ELECTRIC BOILERS W/BREAKERS							
P/N	MODEL	SIZE KW	ELEM. NO.	ELEM.	BTH/HR	WGT EA	TRADE
F/N	WODEL	SIZE KW	& SIZE	AMPS		LBS	PRICE
AT062310C	AT0623	6	2-3KW	25.0	20,500	62.0	\$1,879
AT082410C	AT0824	8	2-4KW	33.3	27,300	62.0	\$2,020
AT102510C	AT1025	10	2-5KW	41.7	34,100	62.0	\$2,173
AT122610C	AT1226	12	2-6KW	50.0	41,000	62.0	\$2,238
	AT SERIE	S C - 4 ELE	MENT ELECT	RIC BOILER	RS W/BREAK	KERS	
P/N	MODEL	SIZE KW	ELEM. NO.	ELEM.	BTH/HR	WGT EA	TRADE
F/N	WODEL	SIZE KW	& SIZE	AMPS	DI II/IIK	LBS	PRICE
AT124310C	AT1243	12	4-3KW	50.0	41,000	70.0	\$2,545
AT164410C	AT1644	16	4-4KW	66.7	54,600	70.0	\$2,615
AT204510C	AT2045	20	4-5KW	83.3	68,200	70.0	\$2,680
AT244610C	AT2446	24	4-6KW	100.0	82,000	70.0	\$3,004
AT	MODULAF	R BOILERS	W/BREAKERS	- ORDER E	BOTH P/N'S	LISTED**	
*P/N (ORDER	MODEL	SIZE KW	ELEM. NO. & SIZE		BTH/HR	WGT EA	TRADE
BOTH P/N'S)	WODEL	SIZE KW	ELEWI. NO.	& SIZE	DI II/IIK	LBS	PRICE
(1) AT124310C	AT2800	28	4-3KW 4-4KW		95,600**	140.0	\$2,545
(1) AT164410C	A12000	7 4-4KW 95,			95,000	140.0	\$2,615
(2) AT164410C	AT3200	32	(2) 4-4KW		109,200**	140.0	\$2,615
(2) AT 1044 10C	A13200	713200 32 (2) 4-4KW		T\	103,200	140.0	\$2,615
(2) AT204510C	AT4000	40	(2) 4-5KW		136,400**	140.0	\$2,680
(2) A1204510C	AT4000	40					\$2,680

^{*}When ordering modular boilers, order both part numbers listed. You will receive 2 boilers allowing for SN tracking.

STANDARD EQUIPMENT:

Painted Steel Jacket, Mounting Brackets, Neon Indicator Lights, Safety Limit Control (High Limit - Fixed Temp), Gasket, Heating Element, Control Board, NTC Thermistor, Neutral Terminal Block, Ground Connection Lug, Relief Valve - 30 p.s.i., Temperature/Pressure Gauge, Cast Iron Heat Exchanger (2 or 4 Element), Control Panel Assembly(2 or 4 Element). Circuit Breaker 15A - 1 Pole, Element Circuit Breaker 40A - 2 Pole, and Load Center Assembly.

SEE PAGE 6 FOR SERVICE PARTS

^{*}Ratings are based on 240 operating voltage. Refer to IOM for reduced ratings based on 208 operating voltage.

USE PARTS MULTIPLIER							
AT ELECTRIC BOILER SERVICE PARTS							
P/N	DESCRIPTION	Al	В	С	TRADE		
	DESCRIPTION	VERSION	VERSION	VERSION	PRICE		
1260006	Temperature/Pressure Gauge	V	V		\$24		
B194	Neutral Terminal Block		V		\$74		
B27	Circuit Breaker 40 A - 2 Pole - G.E. THQP 240	V	V		\$57		
B28	Circuit Breaker 15 A - 1 Pole - G.E. THQP 115	V	V	$\overline{\checkmark}$	\$39		
C32	Pressure Vessel - Cast Iron, 4 Element	V	lacksquare		\$407		
	Pressure Vessel - Cast Iron, 2 Element	V	V		\$272		
E13	Heating Element - 3KW/240 Volt	\checkmark	lacksquare		\$63		
E14	Heating Element - 4KW/240 Volt	V	V		\$79		
E15	Heating Element - 5KW/240 Volt	V	V		\$83		
E16	Heating Element - 6KW/240 Volt	V	V	abla	\$86		
F3	Fuse Block, 1/4" x 1-1/4" Fuse, 300V		V		\$8		
F4	Fuse, 10amp, Ceramic, ABC-10		lacksquare		\$5		
G12	Gasket - Heating Element	V	V	abla	\$7		
l25	Load Center Assembly - G.E. TLM812U2		$\overline{\checkmark}$		\$125		
L9	Ground Connection Lug		✓		\$11		
P8	Power Distribution Block		▼		\$167		
S47	Safety Limit Control (High Limit - Fixed Temp)		$\overline{\mathbf{A}}$		\$23		
	Relief Valve - 30 PSI	V	V		\$24		
	Breaker Control Panel Assembly, 2 Element (Complete)		V		\$752		
	Breaker Control Panel Assembly, 4 Element (Complete)		V		\$944		
	Power Block Control Panel Assembly, 2 Element (Complete)		V		\$575		
Z314	Power Block Control Panel Assembly, 4 Element (Complete)		₹		\$611		
	Breaker Boiler Cover		₹		\$190		
	Replacement Sensor Kit (RTD Water Sensor)		V		\$47		
	Power Block Boiler Cover		abla		\$218		
	Wire Kit AT 2 Element w/Circuit Breaker		₹		\$74		
	Wire Kit AT 4 Element w/Circuit Breaker		▼		\$97		
	Wire Kit AT 2 Element w/Power Block		V		\$77		
	Wire Kit AT 4 Element w/Power Block		V		\$98		
	Circuit Board/Wire AT 2 Element w/Power Block		₹		\$374		
	Circuit Board/Wire AT 2 Element w/Circuit Breaker		V		\$374		
	Circuit Board/Wire AT 4 Element w/Power Block		₹		\$383		
	Circuit Board/Wire AT 4 Element w/Circuit Breaker		\square		\$383		
	Brass Well		V	$\overline{\mathbf{V}}$	\$23		
	Elbow 3/4" x 90°		$\overline{\checkmark}$	✓	\$4		
	Nipple 3/4" x 2"		$\overline{\checkmark}$	✓	\$3		
	Transformer 115/24V, 40VA			✓	\$32		
	Water Temperature Sensor Kit			✓	\$55		
	Control Board - 2 Element, kit, includes wires			$\overline{\square}$	\$500		
	Control Board - 4 Element, kit, includes wires			✓	\$541		
109008918				✓	\$109		
P23	Chassis, Back/Bottom			$\overline{\mathbf{A}}$	\$95		
	High Limit Aquastat (Penn) Adjustable	V			\$203		
S46	Thermodisc Switch	V			\$66		
	Water Temp. Sensor	V			\$41		
R3	Control Relay - Round Base Plug In	V			\$75		
R10	Element Power Relay (PRD-7AGO) (900) (Open) (Started 8/25/03)	V			\$105		

USE PARTS MULTIPLIER					
		SERVICE PARTS			
	,	SWITCHING RELAY REPLACEMENT PARTS - ONE YEAR LIMITED WARRANTY			
P/N	MODEL	DESCRIPTION	TRADE		
P/N	MODEL	DESCRIPTION			
R35C	R-35	PREMIUM REPLACEMENT PLUG-IN CONTROL RELAY (24VAC COIL)	\$22		
R49	R-49	PREMIUM REPLACEMENT PLUG-IN CONTROL RELAY (120VAC COIL)	\$24		
C1	C1	REPLACEMENT 18" TELEPHONE CABLE CONNECTOR W/JACKS FOR	\$11		
Ci		ARM EXP. MODULE	·		
T40	T-40	FIELD MOUNTED 40VA REPLACEMENT TRANSFORMER	\$38		
C7	C7	CABLE RIBBON ASSEMBLY (DPM-2)	\$15		
S60	S60	SENSOR SHIELD (AMB4A, AMB8A, DPM-2)	\$111		
J8	J8	JACK, TELEPHONE TEE ADAPTER (AD-4)	\$34		
T25	T25	75VA TRANSFORMER (AZ-6P, AZ-5)	\$35		
T79	T79	40VA TRANSFORMER WITH PUSH ON TERMINALS (AZ-4CP, AMB4A, AMB8A)	\$41		
240005137	N/A	75VA TRANSFORMER WITH CIRCUIT BREAKER (AZ-6CP)	\$64		
240005445	N/A	OUTDOOR SENSOR (AMB4A, AMB8A)	\$49		
240005446	N/A	WATER SENSOR (AMB4A, AMB8A)			
240004756	N/A	BRASS WELL	\$23		
		HYDRO-AIR CONTROLS			
P/N	MODEL	DESCRIPTION			
1 //4			PRICE		
R35DC		24 VDC COIL PREMIUM REPLACEMENT RELAY	\$23		
550001254	N/A	ARH RELAY KIT	\$122		
		THERMOSTATS & SPECIALTIES			
P/N	MODEL	DESCRIPTION	TRADE		
			PRICE		
T72	ART-72	40-VA PLATE MOUNTED TRANSFORMER (AMB4)	\$57		