


DPM-2

AT Series C Boiler





Corporate Sales

Fax: 716-366-4670

Phone: 877-386-5475

ARM-4P

AZ-6CP

Customer Service Technical Support Phone: 800-325-5479 Fax: 315-724-9319/866-432-7329 www.argocontrols.com

ECR international

ECR International: 2201 Dwyer Avenue, Utica, NY 13501 Tel. 315 797 1310 or 800 325 5479 Fax. 315 724 9319 www.ecrinternational.com Literature literature@ecrinternational.com

P/N 240004993 Rev. E 5/18

TERMS & CONDITIONS OF SALE - GENERAL TERMS

PRICES & SPECIFICATIONS: All pricing and specifications subject to change without notice. The prices herein supersede all prior quotations.

PAYMENT TERMS: Net 30 Days

ORDERS: Orders will be accepted on the basis of prices in effect at the time the order is received. No order or contract will become an obligation on our part until accepted by the General Sales Department. ECR International shall not be liable for any delay or failure in the delivery or shipment of goods due to any cause or causes beyond its control.

TAXES: Add to the prices and terms quoted any manufacturers' or sales tax payable on the transaction under any effective statute.

SHIPMENT

ARGO CONTROLS SHIPPING:

1) In Stock Control orders placed by 11am EST ship same day ground.

2) In Stock Control orders placed post 11am EST ship next day ground.

3) Control orders that are to be combined with other ECR equipment to make freight terms will ship when all product on the combined order is complete.

4) Orders requiring expedited shipping modes (Next Day Air, etc.) are available upon request.

ARGO ELECTRIC BOILERS SHIPPING:

1) Electric Boilers are shipped per the manufacturing lead time at the time of order, generally three (3) days from date of order receipt.

FREIGHT TERMS

1) Boilers - 12 units or more, single destination ship freight prepaid, less than 12 unit quantities ship at customer's expense.

2) Controls - \$2,000 or more, single destination ship freight prepaid, less than \$2,000 control values ship at customer's expense.

COMBINED ECR PRODUCT & BRAND SHIPMENTS

1) Authorized Distributors can combine Argo product with Airco, EMI, Dunkirk, Olsen, Pennco and Utica on one purchase order to make \$40,000 minimum value and earn free freight.

LESS THAN TRUCKLOAD SHIPMENT: F.O.B. ECR INTERNATIONAL - FACTORY OR WAREHOUSE ORDER INFORMATION CHECKLIST

SEE PAGE 6 FOR SERVICE PARTS

1) Purchase Order Number

2) Bill To Address

3) Ship To Address

4) Method of Shipment (i.e. - trailer load, UPS, etc.)

5) Requested Ship Date

6) Special Instructions (i.e. - "Carrier to call...")

7) Pricing

8) Product Description (i.e. - Model, Size, Series, etc.)

9) Fuel Characteristics (i.e. Oil, Natural Gas, Propane)

10) Electrical Characteristics (i.e. - Operating Voltage, Cycles, Phases, etc.)

11) Non-Standard Equipment (Indicate "Optional" when substituted for standard equipment at extra cost listed. added to standard equipment).

12) Kits or Parts (Orders for kits or parts must indicate equipment size and series).

13) Send orders to:

E-Mail: ecrorderentry@ecrinternational.com Fax: 315-724-9319

14) Please note the following Remit To Address:

ECR International, Inc. P.O. Box 8000 Department 039 Buffalo, NY 14267

Continued on Next Page

TERMS & CONDITIONS OF SALE - GENERAL TERMS CONTINUED U.S. DISTRIBUTOR - RETURN MATERIAL POLICY - EFFECTIVE 8/18/2014

To assist in providing the best service to our valued customers, ECR International has developed the following guidelines to help you in the unlikely event that you will need to return merchandise purchased from us. These guidelines have been developed after carefully reviewing common industry practice. We trust that you find them fair and easy to follow.

Prior Approval Required - All returns for exchange, credit, repair service or warranty claim must be approved by ECR and require an RMA number prior to return of the material. A request must be completed via ECR International's online web portal. Please log on to www.ecrcustomerportal.com (hyperlink below) to complete your request for return. If you do not already have access to the customer web portal please contact ECR Customer Service at 1-800-325-5479 to be set-up.

Eligibility - An RMA Request must be received within 60 days from the date of invoice for returns of New & Unused product in original packaging. A restocking fee of 15% will be charged for all new and unused returns that are approved for return. Special Order Products (items not offered as standard in ECR trade price book) are not eligible for return as new and unused product. Request for Warranty Returns must be made within the period covered by the warranty and must fall under the terms and conditions specified in the warranty.

<u>Repair Service</u> - Request for repair or rework of product damaged by customer is classified as Repair Service. Repair Service is billed at \$75.00 per hour for labor and net price for parts used in repair/rework. ECR's Return Material (RM) department will evaluate the items returned for repair service. The customer will receive an estimate for the dollar amount, determined by ECR's RM department, required to complete the repairs requested. A Purchase Order (PO) from the customer for that amount will be required before any work is performed.

<u>**RMA Expiration**</u> - Once the RMA number is issued, the product must be returned within 90 days of the RMA date, or the RMA will be canceled. Products approved for return that are received after 90 days from the RMA date will not be accepted.

<u>Shipping & Packaging</u> - All returns must have a valid RMA number clearly displayed on the exterior of the package or the package will not be accepted. All returns of new and unused product must be in the original packaging. All returns must be shipped prepaid by the customer unless otherwise directed by ECR as indicated on the RMA Verification. Ship all approved return material to the facility indicated on the approved RMA Request by the date indicated.

<u>Replacement Product</u> - If replacement product is desired it must be indicated on the RMA Request. A PO# is required for the replacement shipment and must be indicated on the RMA Request. All replacement products will be invoiced at the time of shipment. ECR will pay the ground freight for all warranty replacements.

<u>Application of Credit</u> - Credit for returned product will be applied to the customer's account (less restocking fees for New and Unused returns) only after confirmation of receipt by ECR and inspection of the product. Issuance of a credit for a partial return of product does not relieve the customer from the obligation to remit payment for the merchandise not returned in accordance with the payment terms referenced on the customer's invoice(s). Customer will have the option to have any product that is denied for credit returned at their expense.

http://www.ecrcustomerportal.com

P/N MODEL DESCRIPTION LBS PRICE Z140C *AR822-II SINGLE ZONE (PPD)T 2.7 \$84 Z209 *AR861-2I TWO ZONE W/PRIORITY (Replaces AR861-2) 4.0 \$214 Z16 *AR861-3I TRAEE ZONE W/PRIORITY (Replaces AR861-2) 4.0 \$214 Z165 'IR822 SOLATION RELAY-3 ZONE-24/VAC-SPST (Req. sap. transformer) 0.5 \$84 Z172 DPM-2 (Plugs into data port on ARM and AZ-CP Series Relays, can be hard wired as a stand as one control or used with other relays. Bulkin priority, override. Includes sensors and sunshield.) 2.0 \$345 Z172 DPM-2 (Plugs into data port on ARM and AZ-CP Series Relays, can be hard wired as a stand table control or used with other relays. Bulkin priority, override. Includes sensors and sunshield.) 2.0 \$345 Z112 *ARM-3P TWO ZONE W/PRIORITY 2.7 \$204 Z212 *ARM-4P FOUR ZONE W/PRIORITY 4.0 \$237 Z16 *ARM-4P FOUR ZONE W/PRIORITY 4.0 \$237 Z164 *AD-1 ONE ZONE EXPANSION MODULE 2.5 \$102 Z164			SWITCHING RELAYS & ACCESSORIES						
2140C *AR822-II SINGLE ZONE (DPDT) 2.7 584 2200 *AR861-2I TWO ZONE W/PRIORITY (Replaces AR861-2) 4.0 \$185 2210 *AR861-3I TREE ZONE W/PRIORITY (Replaces AR861-3) 4.0 \$214 2165 *IR882 ISOLATION RELAY-3 ZONE-24VAC-SPST (Red, sep. transformer) 0.5 \$84 2172 DPM-2 (Ping ind data port on ARM and A2-CP Series Relays, can be hard wired as a stand alone control or used with other relays. Built-in priority, override. Includes sensors and surshield. 2.0 \$345 2111 *ARM-3P TRADE DESCRIPTION UST FA TRADE 2121 *ARM-3P TWO ZONE W/PRIORITY 4.0 \$237 \$244 213 *ARM-3P FOUR ZONE W/PRIORITY 4.0 \$237 \$216 2164 *AD-4 FOUR ZONE W/PRIORITY 4.0 \$237 \$2158 *AD-1 No EZONE EXPANSION MODULE 2.5 \$102 2164 *AD-4 FOUR ZONE EXPANSION MODULE 2.5 \$102 \$102 2158 *AD-1 ONE ZONE EXPANSION MODULE 2.5	D/N	MODEL	WGT EA	TRADE					
Z209 *AR861-ZII TWO ZONE W/PRIORITY (Replaces AR861-2) 4.0 \$185 Z210 *AR861-SII THRE ZONE W/PRIORITY (Replaces AR861-3) 4.0 \$214 Z165 *IR82 ISOLATION RELAY-3 ZONE-24VAC-SPST (Rec. sep. transformer) 0.5 \$84 OUTDOOR TEMPERATURE BOILER RESET MODULE 0.1 \$84 4.0 \$345 Z172 DPM-2 (Pugr bind data port on ARM and AZ-CP SP sines Relays, can be hard wired as a stand alone control or used with other relays. Built-in priority, override. Includes sensors and sunshield.) 2.0 \$345 P/N MODEL DESCRIPTION LBS PRICE Z211 *ARM-3P THREZ ZONE W/PRIORITY 4.0 \$327 Z214 *ARM-4P FOUR ZONE W/PRIORITY 4.0 \$327 Z158 *AD-1 OUR ZONE EXPANSION MODULE 2.5 \$102 Z164 *AD-4 FOUR ZONE EXPANSION MODULE 2.5 \$102 Z164 *AD-1 ONE ZONE EXPANSION MODULE 2.5 \$102 Z164 *AD-1 ONE ZONE EXPANSION MODULE 2.5 \$102 Z164 *AD-1 ONE ZONE EXPANSION MODUL	P/N	MODEL	DESCRIPTION	LBS	PRICE				
Z210 *AR861-3I THREE ZONE W/PRIORITY (Replaces AR861-3) 4.0 \$214 Z165 'IR882 ISOLATION RELAY-3 ZONE-24VAC-SPST (Req. sep. transformer) 0.5 \$84 Z172 DPM-2 (PLugs into data port on ARM and A2-CP Series Relays, can be hard wired as a stand sensors and sunshield.) 0.5 \$84 Z172 DPM-2 (PLugs into data port on ARM and A2-CP Series Relays, can be hard wired as a stand sensors and sunshield.) 2.0 \$345 P/N MODEL DESCRIPTION WGT EA TRADE Z212 *ARM-3P TWO ZONE W/PRIORITY 4.0 \$257 Z214 *ARM-6P FURC EXPRIDENTY 4.0 \$257 Z216 *ARM-6P FUR ZONE W/PRIORITY 4.0 \$257 Z163 *AD-1 ONE ZONE EXPANSION MODULE 2.5 \$102 S158 *AD-1 ONE ZONE EXPANSION MODULE 4.0 \$271 STANDARD FEATURES: Built-In priority safety timer, electronic fuse, 30VA transformer (ARM-2P has 20VA); isolated end switch; data port add-on modules up to 5 zones; field replaceable transformer and premium plug-in relays. 200 \$271 S1ADDARD FEATURES: Built-In priority	Z140C	*AR822-II	SINGLE ZONE (DPDT)	2.7	\$84				
Z165 *IR882 ISOLATION RELAY-3 ZONE-24VAC-SPST (Reg. sep. transformer) 0.5 \$84 QUTDOOR TEMPERATURE BOILER RESET MODULE OUTDOOR TEMPERATURE BOILER RESET MODULE 2.0 \$345 Z172 DPM-2 (Plugs into data port on ARM and AZ-CP Series Relays, can be hard wired as a stand alone control or used with other relays. Built-in priority, override. Includes sensors and sunshield.) 2.0 \$345 P/N MODEL DESCRIPTION LBS PRICE Z212 *ARM-3P TWO ZONE W/PRIORITY 4.0 \$257 Z214 *ARM-4P FOUR ZONE W/PRIORITY 4.0 \$257 Z216 *ARM-4P FOUR ZONE W/PRIORITY 4.0 \$257 Z216 *ARM-4P FOUR ZONE W/PRIORITY 4.0 \$2527 Z216 *ARM-4P FOUR ZONE EXPANSION MODULE 2.5 \$102 Z164 *AD-1 AD-4 FOUR ZONE EXPANSION MODULE 2.5 \$102 Z164 *AD-4 FOUR ZON	Z209	*AR861-2II	TWO ZONE W/PRIORITY (Replaces AR861-2)	4.0	\$185				
Z172 OUTDOOR TEMPERATURE BOILER RESET MODULE (Plugs into data port on ARM and AZ-CP Series Relays, can be hard wired as a stand alone control or used with other relays. Built-in priority, override. Includes sensors and sunshield.) 2.0 \$345 P/N MODEL DESCRIPTION USE PRICE Z212 *ARM-3P TWO ZONE W/PRIORITY 2.7 \$204 Z213 *ARM-3P THREE ZONE W/PRIORITY 4.0 \$257 Z214 *ARM-4P FONE ZONE W/PRIORITY 4.0 \$257 Z216 *ARM-4P FONE ZONE W/PRIORITY 4.0 \$257 Z216 *ARM-4P FONE ZONE W/PRIORITY 6.0 \$359 Z158 *AD-1 ONE ZONE EXPANSION MODULE 2.5 \$102 Z164 *AD-4 FOUZ ZONE EXPANSION MODULE 4.0 \$271 STANDARD FEATURESE built-in priority safety timer, electronic tuse, 30VA transformer (ARM-2P has 20VA); isolated and switch; data port, add-on modules up to 15 zones; field replaceable; masformer and premium plug-in relays. WGT EA TRADE Z297 *AZ-6CP field replaceable; Electronic Fuse, isolated End Switch, Data Port field replaceable; Electronic Fuse, isolated End Switch, Data Port fi	Z210	*AR861-3II	THREE ZONE W/PRIORITY (Replaces AR861-3)	4.0	\$214				
Z172 DPM-2 (Plugs into data port on ARM and AZ-CP Series Relays, can be hard wired as a stand alone control or used with other relays. Built-in priority, override. Includes seriors and sunshield) 2.0 \$345 P/N MODEL ARM SWITCHING RELAYS WGT EA TRADE P/N MODEL DESCRIPTION WGT EA TRADE Z112 *ARM-2P TWO ZONE W/PRIORITY 2.7 \$204 Z213 *ARM-4P FOUR ZONE W/PRIORITY 4.0 \$257 Z214 *ARM-4P FOUR ZONE W/PRIORITY 6.0 \$339 Z158 *AD-1 ONE ZONE EXPANSION MODULE 4.0 \$2171 STANDAD FEATURES, Built-in priority safety time; electronic fuse, 30VA transformer (ARM-2P has 20VA); looaled end switch; data port; add-on modules up to 15 zones; field replaceable; transformers and premium plug-in relays. \$2171 STANDAD FEATURES, Built-in priority safety time; electronic fuse, solated End Switch, Data Port QMGT EA TRADE Z297 *AZ-4CP f(inc. 4VA Transformer - Field Replaceable). Electronic Fuse, Isolated End Switch, Data Port \$236 Z298 *AZ-6CP GONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY 4.0 \$236 Z157 AZ-3 3 ZONES (Inc. 40VA Transformer - Field Replaceable).	Z165	*IR882	ISOLATION RELAY-3 ZONE-24VAC-SPST (Req. sep. transformer)	0.5	\$84				
2172 DPM-2 stone control or used with other relays. Built-in priority, override. Includes sensors and sunshield.) 2.0 \$345 P/N MODEL DESCRIPTION WGT EA LBS TRADE P/N MODEL DESCRIPTION WGT EA PRICE TRADE 2212 *ARM-3P THREE ZONE W/PRIORITY 4.0 \$257 2214 *ARM-4P DIS ZONE W/PRIORITY 4.0 \$257 2216 *ARM-4P SIX ZONE W/PRIORITY 6.0 \$359 2158 *AD-1 ONE ZONE EXPANSION MODULE 2.5 \$102 STANDARD FEATURES; Built-in priority safety timer; electronic fuse, 3004 transformer (ARM-2P has 20VA); isolated end switch; data port; add-on modules up to 15 zones; field replaceable transformer and premium plug-in relays. Z01F VALVE CONTROLS ZONE VALVE CONTROLS WGT EA LBS TRADE Z197 *AZ-4CP func. 40VA Transformer - Field Replaceable); Electronic Fuse, Isolated End Switch, Data Port 200 \$236 Z298 *AZ-6CP func. 75VA Transformer - Field Replaceable); Electronic Fuse, Isolated End Switch, Data Port 7.0 \$310 Z1157 AZ-3 3 ZONES (Inc. 76VA Transformer - 2 Sep. End Switches) 7.0 \$177			OUTDOOR TEMPERATURE BOILER RESET MODULE						
alone control or used with other relays. Built-in priority, override. Includes gensors and sunshield.) ARM SWITCHING RELAYS P/N MODEL DESCRIPTION WGT EA TRADE Z212 *ARM-2P TWO ZONE W/PRIORITY 2.7 \$204 Z213 *ARM-4P FOUR ZONE W/PRIORITY 4.0 \$327 Z214 *ARM-4P FOUR ZONE W/PRIORITY 4.0 \$327 Z214 *ARM-4P SX ZONE W/PRIORITY 6.0 \$359 Z158 *AD-1 ONE ZONE W/PRIORITY 6.0 \$359 Z164 *AD-4 FOUR ZONE W/PRIORITY 6.0 \$359 Z164 *AD-4 FOUR ZONE EXPANSION MODULE 2.5 \$100 STANDARD FEATURES, Built-In priority safety timer; electronic fuse, 30VA transformer (ARM-2P has 20VA); isolated end switch; data port; add-on modules up to 15 zones; field replaceable transformers and premium plug-in relays. ZONE VALVE CONTROLS W/PRIORITY P/N MODEL DESCRIPTION WGT EA TRADE Z297 *AZ-4CP 4 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY 4.0 \$236 Z298 *AZ-6CP G ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY 7.0 \$310	7470		(Plugs into data port on ARM and AZ-CP Series Relays, can be hard wired as a stand	2.0	¢0.45				
ARM SWITCHING RELAYS WGT EA TRADE P/N MODEL DESCRIPTION WGT EA TRADE Z212 *ARM-3P THREE ZONE W/PRIORITY 2.7 \$204 Z213 *ARM-3P THREE ZONE W/PRIORITY 4.0 \$327 Z214 *ARM-4P FOUR ZONE W/PRIORITY 4.0 \$327 Z216 *ARM-6P SIX ZONE EXPANSION MODULE 2.5 \$102 Z158 *AD-1 ONE ZONE EXPANSION MODULE 4.0 \$271 STANDARD FEATURES; Built-in priority safety timer; electronic fuse, 30/04 transformer (ARM-2P has 20VA); isolated end switch; data port; add-on modules up to 15 zones field replaceable transformers and premium plug-in relays. ZONE VALVE CONTROLS W/PRIORITY 4.0 \$2216 Z297 *AZ-4CP 4 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY 4.0 \$236 Z298 *AZ-6CP 6 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY 7.0 \$310 Z298 *AZ-6CP 6 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY 7.0 \$310 Z157 AZ-3 3 ZONES (inc. 40VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port Data Port ZONE VALVE CONTROLS TRADE <td< td=""><td>2172</td><td>DPM-2</td><td>alone control or used with other relays. Built-in priority, override. Includes</td><td>2.0</td><td>\$345</td></td<>	2172	DPM-2	alone control or used with other relays. Built-in priority, override. Includes	2.0	\$345				
P/N MODEL DESCRIPTION WGT EA LBS TRADE PRICE 2212 *ARM-2P TWO ZONE W/PRIORITY 2.7 \$204 2213 *ARM-3P THREE ZONE W/PRIORITY 4.0 \$257 2214 *ARM-4P FOUR ZONE W/PRIORITY 4.0 \$257 2216 *ARM-6P SIX ZONE W/PRIORITY 4.0 \$359 2158 *AD-1 ONE ZONE EXPANSION MODULE 2.5 \$102 2164 *AD-4 FOUR ZONE EXPANSION MODULE 2.5 \$102 Z164 *AD-4 FOUR ZONE EXPANSION MODULE 2.5 \$102 Z164 *AD-4 FOUR ZONE EXPANSION MODULE 4.0 \$221 Z1702R02ER2EXUEL South in priority safety timer; electroin (see, 30VA transformer (ARM-2P has 20VA); isolated end switch; d.0 \$216 Z297 *AZ-4CP (Inc. 40VA transformer - Field Replaceable; Electroin Fuse, Isolated End Switch, Data Port 4.0 \$236 Z298 *AZ-6CP (Inc. 40VA Transformer - Field Replaceable; Electroin Fuse, Isolated End Switch, Data Port 7.0 \$310 Z117 AZ-3			sensors and sunshield.)						
P/N MODEL DESCRIPTION LBS PRICE Z212 *ARM-2P TWO ZONE W/PRIORITY 2.7 \$204 Z213 *ARM-3P THREE ZONE W/PRIORITY 4.0 \$327 Z216 *ARM-4P FOUR ZONE W/PRIORITY 4.0 \$327 Z216 *ARM-4P FOUR ZONE W/PRIORITY 6.0 \$339 Z158 *AD-1 ONE ZONE EXPANSION MODULE 2.5 \$102 Z164 *AD-4 FOUR ZONE EXPANSION MODULE 4.0 \$271 STANDARD FEATURES, Built-In priority safety timer, releatment fraisformers and premium plugin relays. relat port; add-on modules up to 15 zones; field replaceable ransformers and premium plugin relays. TRADE Z297 *AZ-4CP 4 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY 4.0 \$236 Z298 *AZ-6CP 6 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY 4.0 \$236 Z157 AZ-3 3 ZONES (Inc. 40VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port 7.0 \$310 Z157 AZ-3 3 ZONES (Inc. 40VA Transformer, 2 Sep. End Switches) 4.0 \$141			ARM SWITCHING RELAYS						
Z212 *ARM-2P TWO ZONE W/PRIORITY Z.7 \$204 Z213 *ARM-3P THREE ZONE W/PRIORITY 4.0 \$257 Z214 *ARM-4P FOUR ZONE W/PRIORITY 4.0 \$257 Z216 *ARM-6P FOUR ZONE W/PRIORITY 4.0 \$257 Z216 *ARM-6P FOUR ZONE EXPANSION MODULE 2.5 \$102 Z164 *AD-1 ONE ZONE EXPANSION MODULE 2.5 \$102 Z164 *AD-4 FOUR ZONE EXPANSION MODULE 4.0 \$271 ZTANDARD EATURES; Built-in priority safety time; electronic fuse, 30VA transformer (ARM-2P has 20VA); isolated end switch; data port; add-on modules up to 15 zones; field replaceable transformer (ARM-2P has 20VA); isolated end switch; Z297 *AZ-4CP (inc. 40VA Transformer - Field Replaceable); Electronic Fuse, Isolated End Switch, Data Port 4.0 \$236 Z298 *AZ-6CP (inc. 75VA Transformer - Field Replaceable); Electronic Fuse, Isolated End Switch, Data Port 7.0 \$310 Z1417 AZ-3 3 ZONES (Inc. 40VA Transformer, 2 Sep. End Switches) 7.0 \$171 Z147 AZ-3 3 ZONES (inc. 75VA Transformer, 2	P/N	MODEL	DESCRIPTION	WGT EA	TRADE				
Z213 *ARM-3P THREE ZONE W/PRIORITY 4.0 \$257 Z214 *ARM-4P FOUR ZONE W/PRIORITY 4.0 \$327 Z216 *ARM-4P FOUR ZONE W/PRIORITY 6.0 \$359 Z216 *ARM-6P SIX ZONE W/PRIORITY 6.0 \$359 Z158 *AD-1 ONE ZONE EXPANSION MODULE 2.5 \$102 Z164 *AD-4 FOUR ZONE EXPANSION MODULE 4.0 \$271 STANDARD FEATURES: Built-in priority safety timer: electronic fuse, 30VA transformers and premium plug-in relays. 2001 VALVE CONTROLS W/PRIORITY 4.0 \$271 P/N MODEL DESCRIPTION WGT EA TRADE PRICE Z297 *AZ-4CP (Inc. 40VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port 4.0 \$236 Z298 *AZ-6CP (Inc. 75VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port 2001 VALVE CONTROLS P/N MODEL DESCRIPTION WGT EA LBS Z157 AZ-3 3 ZONES (Inc. 40VA Transformer, 2 Sep. End Switches) 7.0 \$117 Z14					PRICE				
Z214 *ARM-4P FOUR ZONE W/PRIORITY 4.0 \$327 Z216 *ARM-4P SIX ZONE W/PRIORITY 6.0 \$339 Z158 *AD-1 ONE ZONE EXPANSION MODULE 2.5 \$102 Z164 *AD-4 FOUR ZONE EXPANSION MODULE 2.5 \$102 Z164 *AD-4 FOUR ZONE EXPANSION MODULE 4.0 \$271 STANDARD FEATURES: Built-in priority safety timer, electronic fuse, 30VA transformer (ARM-2P has 20VA); isolated end switch; data port; add-on modules up to 15 zones; field replaceable and premium plug-in relays. ZONE VALVE CONTROLS W/PRIORITY P/N MODEL DESCRIPTION WGT EA TRADE Data Port Z298 *AZ-6CP (inc. 40VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port 7.0 \$310 Z298 *AZ-6CP (inc. 75VA Transformer, 2 Sep. End Switches) 4.0 \$141 Z147 AZ-3 3 ZONES (inc. 40VA Transformer, 2 Sep. End Switches) 7.0 \$119 P/N MODEL DESCRIPTION WGT EA LBS PRICE Z157 AZ-3 3 ZONES (inc. 40VA Transformer, 2 Sep. End Sw									
2216 *ARM-6P SIX ZONE W/PRIORITY 6.0 \$359 2158 *AD-1 ONE ZONE EXPANSION MODULE 2.5 \$102 2164 *AD-4 FOUR ZONE EXPANSION MODULE 4.0 \$271 STANDARD FEATURES: Built-in priority safety timer; electronic fuse, 30VA transformer (ARM-2P has 20VA); isolated end switch; data port; add-on modules up to 15 zones; field replaceable transformers and premium plug-in relays. ZONE VALVE CONTROLS W/PRIORITY P/N MODEL DESCRIPTION WGT EA LBS TRADE PRICE 2297 *AZ-4CP 4 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY (Inc. 40VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port 4.0 \$236 2298 *AZ-6CP 6 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY (Inc. 75VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port 7.0 \$310 Z157 AZ-3 3 ZONES (Inc. 40VA Transformer, 2 Sep. End Switches) 4.0 \$141 Z147 AZ-5 5 ZONES (Inc. 75VA Transformer, 2 Sep. End Switches) 7.0 \$179 HYN MODEL DESCRIPTION LBS PRICE Z157 AZ-3 3 ZONES (Inc. 75VA Transformer, 2 Sep. End Switches) 7.0 \$141 Z147									
Z158 *AD-1 ONE ZONE EXPANSION MODULE 2.5 \$102 Z164 *AD-4 FOUR ZONE EXPANSION MODULE 4.0 \$271 STANDARD FEATURES: Built-in priority safety timer; electronic fuse, 30VA transformer (ARM-2P has 20VA); isolated end switch; data port; add-on modules up to 15 zones; field replaceable transformers and premium plug-in relays. ZONE VALVE CONTROLS W/PRIORITY P/N MODEL DESCRIPTION WGT EA LBS Z297 *AZ-4CP (inc. 40VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port 4.0 \$236 Z298 *AZ-6CP (inc. 75VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port 7.0 \$310 Z157 AZ-3 3 ZONES (inc. 40VA Transformer, 2 Sep. End Switches) 4.0 \$141 Z147 AZ-5 5 ZONES (inc. 40VA Transformer, 2 Sep. End Switches) 7.0 \$179 P/N MODEL DESCRIPTION WGT EA LBS PRICE Z157 AZ-3 3 ZONES (inc. 76VA Transformer, 2 Sep. End Switches) 7.0 \$179 P/N MODEL DESCRIPTION WGT EA LBS PRICE Z157 AZ-3 3 ZONES (inc. 76VA Transformer, 2 Sep. End Switches) 7.0 \$179 <td>Z214</td> <td></td> <td></td> <td>4.0</td> <td>•</td>	Z214			4.0	•				
Z164 *AD-4 FOUR ZONE EXPANSION MODULE 4.0 \$271 STANDARD FEATURES: Built-in priority safety timer; electronic fuse, 30/A transformer (ARM-2P has 20VA); isolated end switch; data port; add-on modules up to 15 zones; field replaceable transformers and premium plug-in relays. WGT EA TRADE P/N MODEL DESCRIPTION WGT EA LBS PRICE Z297 *AZ-4CP 4 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY 4.0 \$236 Z298 *AZ-6CP 6 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY 4.0 \$236 Z298 *AZ-6CP 6 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY 4.0 \$236 Vinc. 75VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port 7.0 \$310 Z167 AZ-3 3 ZONES (Inc. 40VA Transformer, 2 Sep. End Switches) 4.0 \$141 Z147 AZ-5 5 ZONES (Inc. 75VA Transformer, 2 Sep. End Switches) 7.0 \$179 P/N MODEL DESCRIPTION WGT EA LBS PRICE Z157 AZ-3 3 ZONES (Inc. 75VA Transformer, 2 Sep. End Switches) 7.0 \$141 Z147 AZ-5 5 ZONES (Inc. 75VA Transformer, 2 Sep. End Switches) 7.0				6.0					
STANDARD FEATURES: Built-in priority safety timer, electronic fuse, 30VA transformer (ARM-2P has 20VA); isolated end switch; data port; add-on modules up to 15 zones; field replaceable transformers and premium plug-in relays. ZONE VALVE CONTROLS W/PRIOR/ITY P/N MODEL DESCRIPTION WGT EA LBS TRADE PRICE 2297 *AZ-4CP 4 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY (Inc. 40VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port 4.0 \$236 2298 *AZ-6CP 6 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY (Inc. 75VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port 7.0 \$310 ZONE VALVE CONTROLS P/N MODEL DESCRIPTION WGT EA LBS TRADE PRICE 2157 AZ-3 3 ZONES (Inc. 40VA Transformer, 2 Sep. End Switches) 4.0 \$141 2147 AZ-5 5 ZONES (Inc. 75VA Transformer, 2 Sep. End Switches) 7.0 \$179 9/N MODEL DESCRIPTION WGT EA LBS PRICE 2157 AZ-3 3 ZONES (Inc. 75VA Transformer, 2 Sep. End Switches) 7.0 \$141 2147 AZ-5 5 ZONES (Inc. 75VA Transformer, 2 Sep. End Switches) 7.0 \$179 P/N				2.5	-				
data port; add-on modules up to 15 zones; field replaceable transformers and premium plug-in relays. ZONE VALVE CONTROLS W/PRIORITY P/N MODEL DESCRIPTION WGT EA LBS TRADE PRICE Z297 *AZ-4CP 4 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY (Inc. 40VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port 4.0 \$236 Z298 *AZ-6CP 6 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY (Inc. 75VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port 7.0 \$310 ZONE VALVE CONTROLS P/N MODEL DESCRIPTION WGT EA LBS TRADE PRICE Z157 AZ-3 3 ZONES (Inc. 40VA Transformer, 2 Sep. End Switches) 7.0 \$179 HYDRO-AIR CONTROLS HYDRO-AIR CONTROLS WGT EA LBS TRADE PRICE Z181 ARH-1 1 ZONE (Or Expansion Module When Used With ARH-2/ARH-3) 2.0 \$142 Z179 ARH-2 2 ZONES (1 Air Handler & 1 Priority) 2.0 \$194 Z181 ARH-1 1 ZONE (Or Expansion Module When Used With ARH-2/ARH-3) 2.0 \$142 Z179 ARH-2 2 ZONES (2 Air Handlers & 1 Priority) 3.0 \$285	-				\$271				
ZONE VALVE CONTROLS W/PRIORITY P/N MODEL DESCRIPTION WGT EA LBS TRADE PRICE Z297 *AZ-4CP 4 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY (Inc. 40VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port 4.0 \$236 Z298 *AZ-6CP 6 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY (Inc. 75VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port 7.0 \$310 ZONE VALVE CONTROLS P/N MODEL DESCRIPTION WGT EA LBS TRADE PRICE Z157 AZ-3 3 ZONES (Inc. 40VA Transformer, 2 Sep. End Switches) 7.0 \$141 Z147 AZ-5 5 ZONES (Inc. 75VA Transformer, 2 Sep. End Switches) 7.0 \$179 HYDRO-AIR CONTROLS WGT EA LBS TRADE PRICE TRADE PRICE TRADE PRICE 2181 ARH-1 1 ZONE (Or Expansion Module When Used With ARH-2/ARH-3) 2.0 \$142 2179 ARH-2 2 ZONES (1 Air Handler & 1 Priority) 3.0 \$234 2181 ARH-1 1 ZONE (Or Expansion Module When Used With ARH-2/ARH-3) 2.0 \$194 2179 ARH-2 2 ZONES (1 Air Handler & 1 Priority) 3.0 <	STANDARD F	EATURES: B	uilt-in priority safety timer; electronic fuse, 30VA transformer (ARM-2P has 20VA); isolat	ed end switch;					
P/NMODELDESCRIPTIONWGT EA LBSTRADE LBSZ297*AZ-4CP4 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY (Inc. 40VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port4.0\$236Z298*AZ-6CP6 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY (Inc. 75VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port7.0\$310Z298*AZ-6CP6 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY (Inc. 75VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Inc. 75VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, DESCRIPTION7.0\$310P/NMODELDESCRIPTIONWGT EA LBSTRADE PRICEZ157AZ-33 ZONES (Inc. 40VA Transformer, 2 Sep. End Switches)7.0\$179P/NMODELDESCRIPTIONWGT EA LBSTRADE LBSP/NMODELDESCRIPTIONWGT EA LBSTRADE LBSP/NMODELOC Expansion Module When Used With ARH-2/ARH-3)2.0\$1442130ARH-33 ZONES (2 Air Handler & 1 Priority)2.0\$1942180ARH-33 ZONES (2 Air Handler & 1 Priority)3.0\$284A10A-10REPLACEMENT STRAP-ON AQUASTAT ALT 0<1.0	data port; add	-on modules u							
P/NMODELDESCRIPTIONLBSPRICEZ297*AZ-4CP4 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY (Inc. 40VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port4.0\$236Z298*AZ-6CP6 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY (Inc. 75VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port7.0\$310WGT EA Data PortCONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY (Inc. 75VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port7.0\$310P/NMODELDESCRIPTIONLBSPRICEZ157AZ-33 ZONES (Inc. 40VA Transformer, 2 Sep. End Switches)4.0\$141Z147AZ-55 ZONES (Inc. 75VA Transformer, 2 Sep. End Switches)7.0\$179HYDRO-AIR CONTROLSWGT EA LBSTRADE LBSPRICEP/NMODELDESCRIPTIONLBSPRICEZ181ARH-11 ZONE (Or Expansion Module When Used With ARH-2/ARH-3)2.0\$142Z179ARH-22 ZONES (1 Air Handler & 1 Priority)2.0\$142Z180ARH-33 ZONES (2 Air Handlers & 1 Priority)3.0\$284A10A-10REPLACEMENT STRAP-ON AQUASTAT<1.0			ZONE VALVE CONTROLS W/PRIORITY						
Z297*AZ-4CP*AZ-4CP4 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY (Inc. 40VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port4.0\$236Z298*AZ-6CP6 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY (Inc. 75VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port7.0\$310Z198*AZ-6CP6 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY (Inc. 75VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port7.0\$310WGT EA Data PortDESCRIPTIONWGT EA LBSTRADE PRICEP/NMODELDESCRIPTIONWGT EA LBSTRADE PRICEP/NMODELDESCRIPTIONWGT EA LBSTRADE PRICEP/NMODELDESCRIPTIONWGT EA LBSTRADE PRICEP/NMODELDESCRIPTIONWGT EA LBSTRADE PRICE2131ARH-11 ZONE (Or Expansion Module When Used With ARH-2/ARH-3)2.0\$1442130ARH-33 ZONES (1 Air Handler & 1 Priority)2.0\$1942180ARH-33 ZONES (2 Air Handler & 1 Priority)3.0\$284A10A-10REPLACEMENT STRAP-ON AQUASTAT ALB MODULAR BOILER SEQUENCERSWGT EA LBSTRADE PRICEP/NMODELDESCRIPTIONWGT EA LBSTRADE PRICEP/NMODELDESCRIPTION\$2.0\$194Comparison Module Vien Used With ARH-2/ARH-3<1.0	D/N	MODEL		WGT EA	TRADE				
Z297*AZ-4CP (Inc. 40VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port4.0\$236Z298*AZ-6CP6 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY (Inc. 75VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port7.0\$310ZONES V/BUILT-IN CIRC. OR ZONE VALVE PRIORITY (Inc. 75VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port7.0\$310P/NMODELDESCRIPTIONWGT EA LBSTRADE PRICE2157AZ-33 ZONES (Inc. 40VA Transformer, 2 Sep. End Switches)4.0\$1412147AZ-55 ZONES (Inc. 75VA Transformer, 2 Sep. End Switches)4.0\$1412147AZ-55 ZONES (Inc. 75VA Transformer, 2 Sep. End Switches)7.0\$179HYDRO-AIR CONTROLSP/NMODELDESCRIPTIONWGT EA LBSTRADE PRICE2181ARH-11 ZONE (Or Expansion Module When Used With ARH-2/ARH-3)2.0\$1422179ARH-22 ZONES (1 Air Handler & 1 Priority)2.0\$1942180ARH-33 ZONES (2 Air Handlers & 1 Priority)3.0\$284A10A-10REPLACEMENT STRAP-ON AQUASTAT<1.0	1 //1	MODEL		LBS	PRICE				
Data PortAllZ298*AZ-6CP6 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY (Inc. 75VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port7.0\$310Z010ZONE VALVE CONTROLSWGT EA LBSTRADE PRICEP/NMODELDESCRIPTIONWGT EA LBSTRADE PRICEZ157AZ-33 ZONES (Inc. 40VA Transformer, 2 Sep. End Switches)4.0\$141Z147AZ-55 ZONES (Inc. 75VA Transformer, 2 Sep. End Switches)7.0\$179HYDRO-AIR CONTROLSWGT EA LBSTRADE PRICEPRICEZ181ARH-11 ZONE (Or Expansion Module When Used With ARH-2/ARH-3)2.0\$142Z179ARH-22 ZONES (1 Air Handler & 1 Priority)2.0\$194Z180ARH-33 ZONES (2 Air Handler & 1 Priority)3.0\$284A10A-10REPLACEMENT STRAP-ON AQUASTAT AT10<1.0		*AZ-4CP	4 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY						
Z298*AZ-6CP6 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY (Inc. 75VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port7.0\$310ZONE VALVE CONTROLSWGT EA LBSTRADE PRICEP/NMODELDESCRIPTIONWGT EA LBSTRADE PRICE2157AZ-33 ZONES (Inc. 40VA Transformer, 2 Sep. End Switches)7.0\$141Z147AZ-55 ZONES (Inc. 75VA Transformer, 2 Sep. End Switches)7.0\$179WODELDESCRIPTIONWGT EA LBSTRADE PRICEP/NMODELDESCRIPTIONWGT EA LBSP/NMODELDESCRIPTION3.0\$142Z179ARH-22 ZONES (1 Air Handler & 1 Priority)2.0\$142Z179ARH-33 ZONES (2 Air Handlers & 1 Priority)3.0\$284A10A-10REPLACEMENT STRAP-ON AQUASTAT FREEZE-STAT AQUASTAT<1.0	Z297			4.0	\$236				
Z298*AZ-6CP(Inc. 75VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch, Data Port7.0\$310SUME VALVE CONTROLSP/NMODELDESCRIPTIONWGT EA LBSTRADE PRICEZ157AZ-33 ZONES (Inc. 40VA Transformer, 2 Sep. End Switches)4.0\$1141Z147AZ-55 ZONES (Inc. 75VA Transformer, 2 Sep. End Switches)7.0\$179HYDRO-AIR CONTROLSP/NMODELDESCRIPTIONWGT EA LBSTRADE PRICEZ181ARH-11 ZONE (Or Expansion Module When Used With ARH-2/ARH-3)2.0\$142Z179ARH-22 ZONES (1 Air Handler & 1 Priority)2.0\$194Z180ARH-33 ZONES (2 Air Handlers & 1 Priority)3.0\$284A10A-10REPLACEMENT STRAP-ON AQUASTAT<1.0			Data Port						
Data PortZONE VALVE CONTROLSP/NMODELDESCRIPTIONWGT EA LBSTRADE PRICEZ157AZ-33 ZONES (Inc. 40VA Transformer, 2 Sep. End Switches)4.0\$141Z147AZ-55 ZONES (Inc. 75VA Transformer, 2 Sep. End Switches)7.0\$179HYDRO-AIR CONTROLSP/NMODELDESCRIPTIONWGT EA LBSTRADE PRICEZ181ARH-11 ZONE (Or Expansion Module When Used With ARH-2/ARH-3)2.0\$142Z179ARH-22 ZONES (1 Air Handler & 1 Priority)2.0\$194Z180ARH-33 ZONES (2 Air Handlers & 1 Priority)3.0\$284A10A-10REPLACEMENT STRAP-ON AQUASTAT<1.0		*AZ-6CP	6 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY		\$310				
ZONE VALVE CONTROLSP/NMODELDESCRIPTIONWGT EA LBSTRADE PRICEZ157AZ-33 ZONES (Inc. 40VA Transformer, 2 Sep. End Switches)4.0\$141Z147AZ-55 ZONES (Inc. 75VA Transformer, 2 Sep. End Switches)7.0\$179HYDRO-AIR CONTROLSP/NMODELDESCRIPTIONWGT EA LBSTRADE LBSZ181ARH-11 ZONE (Or Expansion Module When Used With ARH-2/ARH-3)2.0\$142Z179ARH-22 ZONES (1 Air Handler & 1 Priority)2.0\$194Z180ARH-33 ZONES (2 Air Handlers & 1 Priority)3.0\$284A10A-10REPLACEMENT STRAP-ON AQUASTAT<1.0	Z298			7.0					
P/NMODELDESCRIPTIONWGT EA LBSTRADE PRICEZ157AZ-33 ZONES (Inc. 40VA Transformer, 2 Sep. End Switches)4.0\$141Z147AZ-55 ZONES (Inc. 75VA Transformer, 2 Sep. End Switches)7.0\$179HYDRO-AIR CONTROLSP/NMODELDESCRIPTIONWGT EA LBSTRADE PRICEZ181ARH-11 ZONE (Or Expansion Module When Used With ARH-2/ARH-3)2.0\$142Z179ARH-22 ZONES (1 Air Handler & 1 Priority)2.0\$194Z180ARH-33 ZONES (2 Air Handlers & 1 Priority)3.0\$284A10A-10REPLACEMENT STRAP-ON AQUASTAT<1.0									
P/NMODELDESCRIPTIONLBSPRICEZ157AZ-33 ZONES (Inc. 40VA Transformer, 2 Sep. End Switches)4.0\$141Z147AZ-55 ZONES (Inc. 75VA Transformer, 2 Sep. End Switches)7.0\$179HYDRO-AIR CONTROLSP/NMODELDESCRIPTIONWGT EA LBSTRADE PRICEZ181ARH-11 ZONE (Or Expansion Module When Used With ARH-2/ARH-3)2.0\$142Z179ARH-22 ZONES (1 Air Handler & 1 Priority)2.0\$194Z180ARH-33 ZONES (2 Air Handlers & 1 Priority)3.0\$284A10A-10REPLACEMENT STRAP-ON AQUASTAT<1.0			ZONE VALVE CONTROLS						
Z157AZ-33 ZONES (Inc. 40VA Transformer, 2 Sep. End Switches)4.0\$141Z147AZ-55 ZONES (Inc. 75VA Transformer, 2 Sep. End Switches)7.0\$179HYDRO-AIR CONTROLSP/NMODELDESCRIPTIONWGT EA LBSTRADE PRICEZ181ARH-11 ZONE (Or Expansion Module When Used With ARH-2/ARH-3)2.0\$142Z179ARH-22 ZONES (1 Air Handler & 1 Priority)2.0\$194Z180ARH-33 ZONES (2 Air Handlers & 1 Priority)3.0\$284A10A-10REPLACEMENT STRAP-ON AQUASTAT<1.0	P/N	MODEL							
Z147AZ-55 ZONES (Inc. 75VA Transformer, 2 Sep. End Switches) HYDRO-AIR CONTROLS7.0\$179P/NMODELDESCRIPTIONWGT EA LBSTRADE PRICEZ181ARH-11 ZONE (Or Expansion Module When Used With ARH-2/ARH-3)2.0\$142Z179ARH-22 ZONES (1 Air Handler & 1 Priority)2.0\$194Z180ARH-33 ZONES (2 Air Handlers & 1 Priority)3.0\$284A10A-10REPLACEMENT STRAP-ON AQUASTAT<1.0					PRICE				
HYDRO-AIR CONTROLSP/NMODELWGT EA LBSTRADE PRICEZ181ARH-11 ZONE (Or Expansion Module When Used With ARH-2/ARH-3)2.0\$142Z179ARH-22 ZONES (1 Air Handler & 1 Priority)2.0\$194Z180ARH-33 ZONES (2 Air Handlers & 1 Priority)3.0\$284A10A-10REPLACEMENT STRAP-ON AQUASTAT<1.0					•				
P/NMODELDESCRIPTIONWGT EA LBSTRADE LBSZ181ARH-11 ZONE (Or Expansion Module When Used With ARH-2/ARH-3)2.0\$142Z179ARH-22 ZONES (1 Air Handler & 1 Priority)2.0\$194Z180ARH-33 ZONES (2 Air Handlers & 1 Priority)3.0\$284A10A-10REPLACEMENT STRAP-ON AQUASTAT<1.0	Z147	AZ-5	5 ZONES (Inc. 75VA Transformer, 2 Sep. End Switches)	7.0	\$179				
P/NMODELDESCRIPTIONLBSPRICEZ181ARH-11 ZONE (Or Expansion Module When Used With ARH-2/ARH-3)2.0\$142Z179ARH-22 ZONES (1 Air Handler & 1 Priority)2.0\$194Z180ARH-33 ZONES (2 Air Handlers & 1 Priority)3.0\$284A10A-10REPLACEMENT STRAP-ON AQUASTAT<1.0			HYDRO-AIR CONTROLS						
Z181ARH-11 ZONE (Or Expansion Module When Used With ARH-2/ARH-3)2.0\$142Z179ARH-22 ZONES (1 Air Handler & 1 Priority)2.0\$194Z180ARH-33 ZONES (2 Air Handlers & 1 Priority)3.0\$284A10A-10REPLACEMENT STRAP-ON AQUASTAT<1.0	P/N	MODEL	DESCRIPTION		TRADE				
Z179ARH-22 ZONES (1 Air Handler & 1 Priority)2.0\$194Z180ARH-33 ZONES (2 Air Handlers & 1 Priority)3.0\$284A10A-10REPLACEMENT STRAP-ON AQUASTAT<1.0		WODEL		LBS	PRICE				
Z180ARH-33 ZONES (2 Air Handlers & 1 Priority)3.0\$284A10A-10REPLACEMENT STRAP-ON AQUASTAT<1.0									
A10 A-10 REPLACEMENT STRAP-ON AQUASTAT <1.0 \$53 2.4E+08 FREEZE-STAT AQUASTAT <1.0	Z179	ARH-2	2 ZONES (1 Air Handler & 1 Priority)		\$194				
2.4E+08 FREEZE-STAT AQUASTAT <1.0									
P/N MODEL AMB MODULAR BOILER SEQUENCERS WGT EA LBS TRADE PRICE AMB8A *AMB-8A 8 BOILER SEQUENCER (w/Outdoor Reset, DHW Priority Override, Equal Run Time Rotation, Inc. Sensors, Sunshade & Immersion Well) 8.0 \$1,017		A-10							
P/N MODEL DESCRIPTION WGT EA LBS TRADE PRICE AMB8A *AMB-8A 8 BOILER SEQUENCER (w/Outdoor Reset, DHW Priority Override, Equal Run Time Rotation, Inc. Sensors, Sunshade & Immersion Well) 8.0 \$1,017	2.4E+08			<1.0	\$250				
P/N MODEL DESCRIPTION LBS PRICE AMB8A *AMB-8A 8 BOILER SEQUENCER (w/Outdoor Reset, DHW Priority Override, Equal Run Time Rotation, Inc. Sensors, Sunshade & Immersion Well) 8.0 \$1,017 Solutions *Indicates a CSA certified model. * * * * * * * * * * * * * * * * * * *									
AMB8A *AMB-8A 8 BOILER SEQUENCER (w/Outdoor Reset, DHW Priority Override, Equal Run Time Rotation, Inc. Sensors, Sunshade & Immersion Well) 8.0 \$1,017 Set	P/N	MODEL	DESCRIPTION		TRADE PRICE				
AMB8A *AMB-8A Run Time Rotation, Inc. Sensors, Sunshade & Immersion Well) 8.0 \$1,017 So *Indicates a CSA certified model. *Indicates a CSA certified model. *Indicates a CSA certified model.		*^	8 BOILER SEQUENCER (w/Outdoor Reset, DHW Priority Override, Equal						
	AIVIDŎA		Run Time Rotation, Inc. Sensors, Sunshade & Immersion Well)	0.0	ΦΙ, υΊ <i>Ι</i>				
			CA contified model						
SEE PAGE 7 FOR SERVICE PARTS		licates a C	SA certified model.						
			SEE PAGE 7 FOR SERVICE PARTS						

	AT SERIE	S C - 2 ELE	MENT ELECTR	RIC BOILER	S W/BREAK	ERS	
D/N	MODEL	SIZE KW	ELEM. NO.	ELEM.	DTU/UD	WGT EA	TRADE
P/N			& SIZE	AMPS	BTH/HR	LBS	PRICE
AT062310C	AT0623	6	2-3KW	25.0	20,500	62.0	\$1,954
AT082410C	AT0824	8	2-4KW	33.3	27,300	62.0	\$2,101
AT102510C	AT1025	10	2-5KW	41.7	34,100	62.0	\$2,260
AT122610C	AT1226	12	2-6KW	50.0	41,000	62.0	\$2,328
	AT SERIE	S C - 4 ELE	MENT ELECTR	RIC BOILER	S W/BREAK	KERS	
D/N	MODEL	SIZE KW	ELEM. NO.	ELEM.		WGT EA	TRADE
P/N			& SIZE	AMPS	BTH/HR	LBS	PRICE
AT124310C	AT1243	12	4-3KW	50.0	41,000	70.0	\$2,647
AT164410C	AT1644	16	4-4KW	66.7	54,600	70.0	\$2,720
AT204510C	AT2045	20	4-5KW	83.3	68,200	70.0	\$2,787
AT244610C	AT2446	24	4-6KW 100.0		82,000	70.0	\$3,124
AT	MODULAF	BOILERS	W/BREAKERS	- ORDER E	BOTH P/N'S I	LISTED**	
* P/N (order	MODEL	SIZE KW	ELEM. NO. & SIZE		BTH/HR	WGT EA	TRADE
BOTH P/N'S)					БІП/ПК	LBS	PRICE
(1) AT124310C	AT2000	28	4-3KW 4-4KW		95,600**	140.0	\$2,647
(1) AT164410C	AT2800	20					\$2,720
(2) AT164410C	AT3200	32	(2) 4-4KW		109,200**	140.0	\$2,720
(2) AT 104410C							\$2,720
(2) AT204510C	AT4000	40	(2) 4-5KW		136,400**	140.0	\$2,787
(2) A1204310C							\$2,787

*When ordering modular boilers, order both part numbers listed. You will receive 2 boilers allowing for SN tracking.

*Ratings are based on 240 operating voltage. Refer to IOM for reduced ratings based on 208 operating voltage. STANDARD EQUIPMENT:

Painted Steel Jacket, Mounting Brackets, Neon Indicator Lights, Safety Limit Control (High Limit - Fixed Temp), Gasket, Heating Element, Control Board, NTC Thermistor, Neutral Terminal Block, Ground Connection Lug, Relief Valve - 30 p.s.i., Temperature/Pressure Gauge, Cast Iron Heat Exchanger (2 or 4 Element), Control Panel Assembly(2 or 4 Element). Circuit Breaker 15A - 1 Pole, Element Circuit Breaker 40A - 2 Pole, and Load Center Assembly.

SEE PAGE 6 FOR SERVICE PARTS

	USE PARTS MULTIPLIER				
	AT ELECTRIC BOILER SERVICE P	ARTS			
P/N	DESCRIPTION	AI	В	С	TRADE
		VERSION	VERSION		PRICE
	Temperature/Pressure Gauge	\square	$\mathbf{\nabla}$	$\mathbf{\nabla}$	\$24
B194	Neutral Terminal Block		$\mathbf{\nabla}$	\checkmark	\$74
B27	Circuit Breaker 40 A - 2 Pole - G.E. THQP 240	\square	\mathbf{N}	N	\$57
B28	Circuit Breaker 15 A - 1 Pole - G.E. THQP 115	\checkmark	\mathbf{N}	\checkmark	\$39
C32	Pressure Vessel - Cast Iron, 4 Element	\square	$\mathbf{\nabla}$	\checkmark	\$407
550003227		\checkmark	$\mathbf{\nabla}$	\checkmark	\$272
E13	Heating Element - 3KW/240 Volt	\square	$\mathbf{\nabla}$	$\mathbf{\nabla}$	\$63
E14	Heating Element - 4KW/240 Volt		\checkmark	\checkmark	\$79
E15	Heating Element - 5KW/240 Volt	\square	$\mathbf{\nabla}$	$\mathbf{\nabla}$	\$83
E16	Heating Element - 6KW/240 Volt	\square	$\mathbf{\nabla}$	$\mathbf{\nabla}$	\$86
F3	Fuse Block, 1/4" x 1-1/4" Fuse, 300V		$\mathbf{\nabla}$		\$8
F4	Fuse, 10amp, Ceramic, ABC-10		$\mathbf{\nabla}$		\$5
G12	Gasket - Heating Element	\square	$\mathbf{\nabla}$	$\mathbf{\nabla}$	\$7
125	Load Center Assembly - G.E. TLM812U2		\mathbf{N}	V	\$125
L9	Ground Connection Lug		$\mathbf{\nabla}$	$\mathbf{\nabla}$	\$11
P8	Power Distribution Block		$\mathbf{\nabla}$		\$167
S47	Safety Limit Control (High Limit - Fixed Temp)		M	$\mathbf{\nabla}$	\$23
	Relief Valve - 30 PSI	\square	$\mathbf{\nabla}$	$\mathbf{\nabla}$	\$24
Z302A	Breaker Control Panel Assembly, 2 Element (Complete)		$\mathbf{\nabla}$		\$752
Z304A	Breaker Control Panel Assembly, 4 Element (Complete)		$\mathbf{\nabla}$		\$944
Z313	Power Block Control Panel Assembly, 2 Element (Complete)		$\mathbf{\nabla}$		\$575
Z314	Power Block Control Panel Assembly, 4 Element (Complete)		$\mathbf{\nabla}$		\$611
Z59	Breaker Boiler Cover		$\mathbf{\nabla}$	$\mathbf{\nabla}$	\$190
	Replacement Sensor Kit (RTD Water Sensor)		$\mathbf{\nabla}$		\$47
Z65	Power Block Boiler Cover		$\mathbf{\nabla}$		\$218
	Wire Kit AT 2 Element w/Circuit Breaker		$\mathbf{\nabla}$		\$74
	Wire Kit AT 4 Element w/Circuit Breaker		$\mathbf{\nabla}$		\$97
	Wire Kit AT 2 Element w/Power Block		$\mathbf{\nabla}$		\$77
	Wire Kit AT 4 Element w/Power Block		$\mathbf{\nabla}$		\$98
	Circuit Board/Wire AT 2 Element w/Power Block		$\mathbf{\Sigma}$		\$374
	Circuit Board/Wire AT 2 Element w/Circuit Breaker		$\mathbf{\nabla}$		\$374
	Circuit Board/Wire AT 4 Element w/Power Block		$\mathbf{\nabla}$		\$383
	Circuit Board/Wire AT 4 Element w/Circuit Breaker		\checkmark		\$383
	Brass Well		$\mathbf{\nabla}$	$\mathbf{\nabla}$	\$23
E1	Elbow 3/4" x 90°		\checkmark	\checkmark	\$4
N1	Nipple 3/4" x 2"		$\mathbf{\nabla}$	$\mathbf{\nabla}$	\$3
	Transformer 115/24V, 40VA			\checkmark	\$32
	Water Temperature Sensor Kit			$\mathbf{\nabla}$	\$55
	Control Board - 2 Element, kit, includes wires			\checkmark	\$500
	Control Board - 4 Element, kit, includes wires			\checkmark	\$541
109008918				$\mathbf{\nabla}$	\$109
P23	Chassis, Back/Bottom			$\mathbf{\nabla}$	\$95
A1	High Limit Aquastat (Penn) Adjustable				\$203
S46	Thermodisc Switch	$\mathbf{\nabla}$			\$66
	Water Temp. Sensor	$\mathbf{\nabla}$			\$41
R3	Control Relay - Round Base Plug In	\checkmark			\$75
R10	Element Power Relay (PRD-7AGO) (900) (Open) (Started	V			¢105
RIU	8/25/03)				\$105

		USE PARTS MULTIPLIER	
		SERVICE PARTS	
		SWITCHING RELAY REPLACEMENT PARTS - ONE YEAR LIMITED WARRANTY	
P/N	MODEL	DESCRIPTION	TRADE PRICE
R35C	R-35	PREMIUM REPLACEMENT PLUG-IN CONTROL RELAY (24VAC COIL)	\$22
R49		PREMIUM REPLACEMENT PLUG-IN CONTROL RELAY (120VAC COIL)	\$24
C1	C1	REPLACEMENT 18" TELEPHONE CABLE CONNECTOR W/JACKS FOR ARM EXP. MODULE	\$11
T40	T-40	FIELD MOUNTED 40VA REPLACEMENT TRANSFORMER	\$38
C7	C7	CABLE RIBBON ASSEMBLY (DPM-2)	\$15
S60	S60	SENSOR SHIELD (AMB4A, AMB8A, DPM-2)	\$111
J8	J8	JACK, TELEPHONE TEE ADAPTER (AD-4)	\$34
T25	T25	75VA TRANSFORMER (AZ-6P, AZ-5)	\$35
T79	T79	40VA TRANSFORMER WITH PUSH ON TERMINALS (AZ-4CP, AMB4A, AMB8A)	\$41
240005137	N/A	75VA TRANSFORMER WITH CIRCUIT BREAKER (AZ-6CP)	\$64
240005445	N/A	OUTDOOR SENSOR (AMB4A, AMB8A)	\$49
240005446	N/A	WATER SENSOR (AMB4A, AMB8A)	\$49
240004756	N/A	BRASS WELL	\$23
		HYDRO-AIR CONTROLS	
	MODEL	DESCRIPTION	TRADE PRICE
R35DC	R-35DC	24 VDC COIL PREMIUM REPLACEMENT RELAY	\$23
550001254	N/A	ARH RELAY KIT	\$122
		THERMOSTATS & SPECIALTIES	
P/N	MODEL	DESCRIPTION	TRADE
			PRICE
T72	ART-72	40-VA PLATE MOUNTED TRANSFORMER (AMB4)	\$57