

Effective 2/25/2019

			2- 8
Argo		Contents	Page
		Terms & RMA Policy	2-3
		Controls	4
		Electric Boilers	5
		Electric Boiler Service Parts	6
Electric Bo	ilers	Control Service Parts	7
		Customer Service Phone: 800-325-5479 Fax: 315-724-9319 / 866-4 Technical Support Phone: 800-253-7900 www.argoindustries.com	32-7329
Zone Valve Controls	Universal Zone Control		
Hydro Air Zone Controls	Outdoor Setback	Service Parts	



2201 Dwyer Avenue, Utica, NY 13501 Tel. 315 797 1310 www.ecrinternational.com

All specifications subject to change without notice. ©2018 ECR International, Inc. PN 240004993 REV. H [2/6/2019]

TERMS & CONDITIONS OF SALE - GENERAL TERMS

PRICES & SPECIFICATIONS: All pricing and specifications subject to change without notice. The prices herein supersede all prior quotations.

PAYMENT TERMS: Net 30 Days

ORDERS: Orders will be accepted on the basis of prices in effect at the time the order is received. No order or contract will become an obligation on our part until accepted by the General Sales Department. ECR International shall not be liable for any delay or failure in the delivery or shipment of goods due to any cause or causes beyond its control.

TAXES: Add to the prices and terms quoted any manufacturers' or sales tax payable on the transaction under any effective statute.

SHIPMENT

ARGO CONTROLS SHIPPING:

1) In Stock Control orders placed by 11am EST ship same day ground.

2) In Stock Control orders placed post 11am EST ship next day ground.

3) Control orders that are to be combined with other ECR equipment to make freight terms will ship when all product on the combined order is complete.

4) Orders requiring expedited shipping modes (Next Day Air, etc.) are available upon request.

ARGO ELECTRIC BOILERS SHIPPING:

1) Electric Boilers are shipped per the manufacturing lead time at the time of order, generally three (3) days from date of order receipt.

FREIGHT TERMS

1) Boilers - 12 units or more, single destination ship freight prepaid, less than 12 unit quantities ship at customer's expense.

2) Controls - \$2,000 or more, single destination ship freight prepaid, less than \$2,000 control values ship at customer's expense.

COMBINED ECR PRODUCT & BRAND SHIPMENTS

1) Authorized Distributors can combine Argo product with Airco, EMI, Dunkirk, Olsen, Pennco and Utica on one purchase order to make \$40,000 minimum value and earn free freight.

LESS THAN TRUCKLOAD SHIPMENT: F.O.B. ECR INTERNATIONAL - FACTORY OR WAREHOUSE ORDER INFORMATION CHECKLIST

SEE PAGE 6 FOR SERVICE PARTS

1) Purchase Order Number

2) Bill To Address

3) Ship To Address

4) Method of Shipment (i.e. - trailer load, UPS, etc.)

5) Requested Ship Date

6) Special Instructions (i.e. - "Carrier to call...")

7) Pricing

8) Product Description (i.e. - Model, Size, Series, etc.)

9) Fuel Characteristics (i.e. Oil, Natural Gas, Propane)

10) Electrical Characteristics (i.e. - Operating Voltage, Cycles, Phases, etc.)

11) Non-Standard Equipment (Indicate "Optional" when substituted for standard equipment at extra cost added to standard equipment).

12) Kits or Parts (Orders for kits or parts must indicate equipment size and series).

13) Send orders to:

E-Mail: ecrorderentry@ecrinternational.com Fax: 315-724-9319

14) Please note the following Remit To Address:

ECR International, Inc. P.O. Box 8000 Department 039 Buffalo, NY 14267

Continued on Next Page

TERMS & CONDITIONS OF SALE - GENERAL TERMS CONTINUED U.S. DISTRIBUTOR - RETURN MATERIAL POLICY - EFFECTIVE 8/18/2014

To assist in providing the best service to our valued customers, ECR International has developed the following guidelines to help you in the unlikely event that you will need to return merchandise purchased from us. These guidelines have been developed after carefully reviewing common industry practice. We trust that you find them fair and easy to follow.

Prior Approval Required - All returns for exchange, credit, repair service or warranty claim must be approved by ECR and require an RMA number prior to return of the material. A request must be completed via ECR International's online web portal. Please log on to www.ecrcustomerportal.com (hyperlink below) to complete your request for return. If you do not already have access to the customer web portal please contact ECR Customer Service at 1-800-325-5479 to be set-up.

Eligibility - An RMA Request must be received within 60 days from the date of invoice for returns of New & Unused product in original packaging. A restocking fee of 15% will be charged for all new and unused returns that are approved for return. Special Order Products (items not offered as standard in ECR trade price book) are not eligible for return as new and unused product. Request for Warranty Returns must be made within the period covered by the warranty and must fall under the terms and conditions specified in the warranty.

<u>Repair Service</u> - Request for repair or rework of product damaged by customer is classified as Repair Service. Repair Service is billed at \$75.00 per hour for labor and net price for parts used in repair/rework. ECR's Return Material (RM) department will evaluate the items returned for repair service. The customer will receive an estimate for the dollar amount, determined by ECR's RM department, required to complete the repairs requested. A Purchase Order (PO) from the customer for that amount will be required before any work is performed.

<u>RMA Expiration</u> - Once the RMA number is issued, the product must be returned within 90 days of the RMA date, or the RMA will be canceled. Products approved for return that are received after 90 days from the RMA date will not be accepted.

<u>Shipping & Packaging</u> - All returns must have a valid RMA number clearly displayed on the exterior of the package or the package will not be accepted. All returns of new and unused product must be in the original packaging. All returns must be shipped prepaid by the customer unless otherwise directed by ECR as indicated on the RMA Verification. Ship all approved return material to the facility indicated on the approved RMA Request by the date indicated.

<u>Replacement Product</u> - If replacement product is desired it must be indicated on the RMA Request. A PO# is required for the replacement shipment and must be indicated on the RMA Request. All replacement products will be invoiced at the time of shipment. ECR will pay the ground freight for all warranty replacements.

<u>Application of Credit</u> - Credit for returned product will be applied to the customer's account (less restocking fees for New and Unused returns) only after confirmation of receipt by ECR and inspection of the product. Issuance of a credit for a partial return of product does not relieve the customer from the obligation to remit payment for the merchandise not returned in accordance with the payment terms referenced on the customer's invoice(s). Customer will have the option to have any product that is denied for credit returned at their expense.

http://www.ecrcustomerportal.com

	UNIVER	SAL SWITCHING RELAY FOR ZONE VALVE AND/OR PUMP CO	NTROL	
P/N				TRADE
		DESCRIPTION		
UZ3	*UZ3	UNIVERSAL 3 ZONE		
UZ4	*UZ4	UNIVERSAL 4 ZONE		
UZ6	*UZ6	UNIVERSAL 6 ZONE		\$612
		ital LCD display and programming interface, 3-programable end switches, dedicated .2 amps, programmable pump purge, pump exercising, programmable priority. Cont		
valves or comb		.2 amps, programmable pump purge, pump exercising, programmable priority. Cont		3, 20116
EZ1	*EZ1	ONE ZONE EXPANSION MODULE		\$201
EZ3	*EZ3	THREE ZONE EXPANSION MODULE		\$269
		SWITCHING RELAYS & ACCESSORIES		
P/N	MODEL	DESCRIPTION	WGT EA	TRADE
			LBS	PRICE
Z140C		SINGLE ZONE (DPDT)	2.7	\$84
		TWO ZONE W/PRIORITY (Replaces AR861-2)	4.0	\$185
Z210		THREE ZONE W/PRIORITY (Replaces AR861-3)	4.0	\$214
Z165	*IR882	ISOLATION RELAY-3 ZONE-24VAC-SPST (Req. sep. transformer)	0.5	\$84
Z172	DPM-2	OUTDOOR TEMPERATURE BOILER RESET MODULE	2.0	\$345
(Plugs into data override. Inclue	•	and AZ-CP Series Relays, can be hard wired as a stand alone control or used with c	ther relays. Bu	uilt-in priority,
overnue. meiu		ARM CONTROL EXPANDABLE ZONE RELAYS		
		ARM CONTROL EXPANDABLE ZONE RELATS		
P/N	MODEL	DESCRIPTION	WGT EA LBS	TRADE PRICE
7040	*****			
Z212 Z213			2.7	\$204 \$257
Z213 Z214		THREE ZONE W/PRIORITY FOUR ZONE W/PRIORITY	4.0 4.0	<u>\$257</u> \$327
Z214 Z216		SIX ZONE W/PRIORITY	4.0 6.0	\$359
Z158	*AD-1	ONE ZONE EXPANSION MODULE	2.5	\$339 \$102
Z164	*AD-4	FOUR ZONE EXPANSION MODULE	4.0	\$271
		It-in priority safety timer; electronic fuse, 30VA transformer (ARM-2P has 20VA); isol		•
		es; field replaceable transformers and premium plug-in relays.		i, <u>data port,</u>
		ZONE VALVE CONTROLS W/PRIORITY		
5/11		DECODIDEION	WGT EA	TRADE
P/N	MODEL	DESCRIPTION	LBS	PRICE
		4 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY		
Z297	*AZ-4CP	(Inc. 40VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch,	4.0	\$236
		Data Port		
		6 ZONES W/BUILT-IN CIRC. OR ZONE VALVE PRIORITY		
Z298	*AZ-6CP	(Inc. 75VA Transformer - Field Replaceable), Electronic Fuse, Isolated End Switch,	7.0	\$310
		Data Port		
,		ZONE VALVE CONTROLS		
P/N	MODEL	DESCRIPTION	WGT EA	TRADE
	A7 0		LBS	PRICE
Z157 Z147	AZ-3 AZ-5	3 ZONES (Inc. 40VA Transformer, 2 Sep. End Switches)	4.0	\$141 \$170
Z14/	AZ-3	5 ZONES (Inc. 75VA Transformer, 2 Sep. End Switches) HYDRO-AIR CONTROLS	7.0	\$179
			WGT EA	TRADE
P/N	MODEL	DESCRIPTION	LBS	PRICE
Z181	ARH-1	1 ZONE (Or Expansion Module When Used With ARH-2/ARH-3)	2.0	\$142
Z179	ARH-2	2 ZONES (1 Air Handler & 1 Priority)	2.0	\$194
Z180	ARH-3	3 ZONES (2 Air Handlers & 1 Priority)	3.0	\$284
A10	A-10	REPLACEMENT STRAP-ON AQUASTAT	<1.0	\$53
240010493		FREEZE-STAT AQUASTAT	<1.0	\$258
states a CSA certified model.				
		SEE PAGE 7 FOR SERVICE PARTS		

						(
	AT SERIE	S C - 2 ELE	MENT ELECTR	RIC BOILER	S W/BREAP	KERS	
P/N	MODEL	SIZE KW	ELEM. NO.	ELEM.	BTH/HR	WGT EA	TRADE
171	WODEL		& SIZE	AMPS	BII	LBS	PRICE
AT062310C	AT0623	6	2-3KW	25.0	20,500	62.0	\$2,013
AT082410C	AT0824	8	2-4KW	33.3	27,300	62.0	\$2,164
AT102510C	AT1025	10	2-5KW	41.7	34,100	62.0	\$2,328
AT122610C	AT1226	12	2-6KW	50.0	41,000	62.0	\$2,398
	AT SERIE	S C - 4 ELE	MENT ELECTR	RIC BOILER	S W/BREAK	KERS	
D/N	MODEL		ELEM. NO.	ELEM.	DTU/UD	WGT EA	TRADE
P/N	MODEL	SIZE KW	& SIZE	AMPS	BTH/HR	LBS	PRICE
AT124310C	AT1243	12	4-3KW	50.0	41,000	70.0	\$2,726
AT164410C	AT1644	16	4-4KW	66.7	54,600	70.0	\$2,802
AT204510C	AT2045	20	4-5KW	83.3	68,200	70.0	\$2,871
AT244610C	AT2446	24	4-6KW	100.0	82,000	70.0	\$3,218
AT	MODULAF	R BOILERS	W/BREAKERS	- ORDER E	BOTH P/N'S	LISTED**	
*P/N (ORDER	MODEL			ELEM. NO. & SIZE		WGT EA	TRADE
BOTH P/N'S)	MODEL	SIZE KW	ELEM. NO.	& SIZE	BTH/HR	LBS	PRICE
(1) AT124310C	AT2000	20	4-3K	W	95,600**	140.0	\$2,726
(1) AT164410C	AT2800	28	4-4KW		95,600***	140.0	\$2,802
(2) AT164410C	AT3200	32	(2) 4 4	K/W	109,200**	140.0	\$2,802
			(2) 4-4KW		109,200	140.0	\$2,802
(2) AT204510C	AT4000	000 40 (2) 4-5KW			426 400**	440.0	\$2,871
	AT4000	40	(2) 4-5	r. vv	136,400**	140.0	\$2,871

*When ordering modular boilers, order both part numbers listed. You will receive 2 boilers allowing for SN tracking.

*Ratings are based on 240 operating voltage. Refer to IOM for reduced ratings based on 208 operating voltage. <u>STANDARD EQUIPMENT:</u>

Painted Steel Jacket, Mounting Brackets, Neon Indicator Lights, Safety Limit Control (High Limit - Fixed Temp), Gasket, Heating Element, Control Board, NTC Thermistor, Neutral Terminal Block, Ground Connection Lug, Relief Valve - 30 p.s.i., Temperature/Pressure Gauge, Cast Iron Heat Exchanger (2 or 4 Element), Control Panel Assembly(2 or 4 Element). Circuit Breaker 15A - 1 Pole, Element Circuit Breaker 40A - 2 Pole, and Load Center Assembly.

SEE PAGE 6 FOR SERVICE PARTS

USE PARTS MULTIPLIER						
	AT ELECTRIC BOILER SERVICE	PARTS	В	С	TRADE	
P/N	DESCRIPTION	VERSION			PRICE	
1260006	Temperature/Pressure Gauge				\$25	
B194	Neutral Terminal Block		V	M	\$76	
B27	Circuit Breaker 40 A - 2 Pole - G.E. THQP 240	\checkmark	V	V	\$59	
B28	Circuit Breaker 15 A - 1 Pole - G.E. THQP 115	$\overline{\checkmark}$	\checkmark	V	\$40	
550003228	Pressure Vessel - Cast Iron, 4 Element	$\overline{\mathbf{A}}$	V	$\overline{\mathbf{A}}$	\$391	
550003227	Pressure Vessel - Cast Iron, 2 Element	$\overline{\mathbf{A}}$	V	$\overline{\mathbf{A}}$	\$272	
E13	Heating Element - 3KW/240 Volt	$\overline{\mathbf{A}}$	V	$\overline{\mathbf{A}}$	\$66	
E14	Heating Element - 4KW/240 Volt	$\overline{\mathbf{A}}$	V	$\overline{\mathbf{A}}$	\$81	
E15	Heating Element - 5KW/240 Volt	\checkmark	\checkmark	V	\$85	
E16	Heating Element - 6KW/240 Volt	\checkmark	\checkmark	V	\$89	
F3	Fuse Block, 1/4" x 1-1/4" Fuse, 300V		\checkmark		\$8	
F4	Fuse, 10amp, Ceramic, ABC-10		\checkmark		\$5	
G12	Gasket - Heating Element	V	V	\checkmark	\$7	
125	Load Center Assembly - G.E. TLM812U2	1	\checkmark	V	\$129	
L9	Ground Connection Lug		\checkmark	Ø	\$11	
P8	Power Distribution Block		\checkmark		\$172	
	Safety Limit Control (High Limit - Fixed Temp)		V	V	\$24	
VR-001.01	Relief Valve - 30 PSI	V	V	V	\$25	
Z59	Breaker Boiler Cover		V	V	\$190	
	Replacement Sensor Kit (RTD Water Sensor)		V		\$48	
	Power Block Boiler Cover		V		\$229	
550001501	Wire Kit AT 2 Element w/Circuit Breaker		V		\$76	
550001502	Wire Kit AT 4 Element w/Circuit Breaker		V		\$100	
550001503	Wire Kit AT 2 Element w/Power Block		V		\$79	
	Wire Kit AT 4 Element w/Power Block		\square		\$101	
	Circuit Board/Wire AT 2 Element w/Power Block		\square		\$385	
	Circuit Board/Wire AT 2 Element w/Circuit Breaker		\checkmark		\$385	
	Circuit Board/Wire AT 4 Element w/Power Block		\checkmark		\$394	
	Circuit Board/Wire AT 4 Element w/Circuit Breaker		$\mathbf{\overline{\mathbf{A}}}$		\$394	
	Brass Well		V	V	\$24	
	Elbow 3/4" x 90°		V	$\mathbf{\nabla}$	\$4	
	Nipple 3/4" x 2"		V	$\mathbf{\nabla}$	\$3	
	Transformer 115/24V, 40VA				\$33	
	Water Temperature Sensor Kit				\$57	
	Control Board - 2 Element, kit, includes wires				\$515	
	Control Board - 4 Element, kit, includes wires				\$557	
109008918					\$114	
	Chassis, Back/Bottom			$\mathbf{\nabla}$	\$100	
A1	High Limit Aquastat (Penn) Adjustable				\$209	
S46	Thermodisc Switch				\$68	
	Water Temp. Sensor				\$42	
R3	Control Relay - Round Base Plug In	$\mathbf{\nabla}$			\$77	
R10	Element Power Relay (PRD-7AGO) (900) (Open) (Started 8/25/03)	V			\$108	

		USE PARTS MULTIPLIER				
		SERVICE PARTS				
		SWITCHING RELAY REPLACEMENT PARTS - ONE YEAR LIMITED WARRANTY	TRADE			
P/N	MODEL DESCRIPTION					
R35C	R-35	PREMIUM REPLACEMENT PLUG-IN CONTROL RELAY (24VAC COIL)	PRICE \$23			
R49		PREMIUM REPLACEMENT PLUG-IN CONTROL RELAY (120VAC COIL)	\$25			
C1		REPLACEMENT 18" TELEPHONE CABLE CONNECTOR W/JACKS FOR ARM EXP. MODULE	\$11			
T40	T-40	FIELD MOUNTED 40VA REPLACEMENT TRANSFORMER	\$39			
C7	C7	CABLE RIBBON ASSEMBLY (DPM-2)	\$15			
S60	S60	SENSOR SHIELD (AMB4A, AMB8A, DPM-2)	\$114			
J8	J8	JACK, TELEPHONE TEE ADAPTER (AD-4)	\$35			
T25	T25	75VA TRANSFORMER (AZ-6P, AZ-5)	\$38			
T79	T79	40VA TRANSFORMER WITH PUSH ON TERMINALS (AZ-4CP, AMB4A, AMB8A)	\$42			
240005137	N/A	75VA TRANSFORMER WITH CIRCUIT BREAKER (AZ-6CP)	\$66			
240005445	N/A	OUTDOOR SENSOR (AMB4A, AMB8A)	\$50			
240005446	N/A	WATER SENSOR (AMB4A, AMB8A)	\$50			
240004756	N/A	BRASS WELL	\$24			
		HYDRO-AIR CONTROLS				
P/N	MODEL	DESCRIPTION	TRADE PRICE			
R35DC	R-35DC	24 VDC COIL PREMIUM REPLACEMENT RELAY	\$24			
550001254	N/A	ARH RELAY KIT	\$126			
		THERMOSTATS & SPECIALTIES	TRADE			
P/N	MODEL	DESCRIPTION				
T72	ART-72	40-VA PLATE MOUNTED TRANSFORMER (AMB4)	\$59			