

BAXI

Trade Price Book

Effective 9/23/2022



Warmth, efficiency,
and total **peace** of mind.



BAXI CUSTOMER SUPPORT TEAM

Phone: (844) 422-9462

CUSTOMER SERVICE:

customerservice@baxiboilers.com

TECHNICAL SUPPORT:

technicalsupport@baxiboilers.com

MARKETING SUPPORT:

marketing@baxiboilers.com

WWW.ECRCUSTOMERPORTAL.COM

Your On-line Access to:

- Order Status
- Invoices
- Statements
- RMA
- Serial Number Look-Up
- Literature

TABLE OF CONTENTS

CONDENSING NAT/LP GAS BOILERS WITH [THINK] CONTROL (GAS ADAPTIVE) 4

DUO-Tec COMPACT 30 GA	Combi Boilers (94 MBH)
LUNA DUO-Tec 40 GA & 1.33GA	Combi & Heating Boilers (125/152 MBH)
LUNA DUO-Tec 60 GA & 1.48GA	Combi & Heating Boilers (164/205MBH)

CONDENSING NAT/LP GAS BOILERS 5

LUNA DUO-Tec 1.70 MP	Heating Boilers (241 MBH)
LUNA DUO-Tec 1.110 MP	Heating Boilers (379 MBH)

ACCESSORIES & VENTING 6-8

Accessories & Coaxial/Twin Pipe/CPVC Venting for Condensing Boilers

CONTROLS 9

AMB4B	Multiple Boiler Staging Control (MBC)
--------------	---------------------------------------

INDIRECT TANKS 10

H2O GL	Glass Lined Indirect Water Heater (42-79 GALS)
---------------	--

TERMS & RMA POLICY 11-12

TO CONTACT THE CUSTOMER SUPPORT TEAM:

CALL: 844.422.9462

EMAIL: CUSTOMERSERVICE@BAXIBOILERS.COM

CONDENSING BOILERS with [THINK] CONTROL (GAS ADAPTIVE)

DUO-Tec COMPACT 30 GA



The THINK combustion management system continuously monitors the gas and air mix and adapts its output to suit your heat and hot water requirements most efficiently. The 30 GA model has an AFUE of 95% and is ENERGY STAR® certified. Dimensions: 15.75"(w) x 11.75"(d) x 27.5"(h)

MODEL	ITEM NUMBER	TYPE	INPUT (MBH) CH/DHW	HTG. CAP. (MBH)	AHRI NET (MBH)	FUEL	AFUE%	SHP WGT. LB	TRADE PRICE
30 GA	BD766858801	COMBI	94/115	85/105	74	NAT/LP	95	79	\$3,096

LUNA DUO-Tec 40 GA & 1.33 GA



The THINK combustion management system continuously monitors the gas and air mix and adapts its output to suit your heat and hot water requirements most efficiently. The 40 GA & 1.33 GA models have an AFUE of 95% and is ENERGY STAR® certified. Dimensions: 17.72"(w) x 13.59"(d) x 30"(h)

MODEL	ITEM NUMBER	TYPE	INPUT (MBH) CH/DHW	HTG. CAP. (MBH)	AHRI NET (MBH)	FUEL	AFUE%	SHP WGT. LB	TRADE PRICE
40 GA	BD7715516	COMBI	125/152	113/136	98	NAT/LP	95	102	\$3,725
1.33 GA	BD7715515	HEATING	125	113	98	NAT/LP	95	102	\$3,519

LUNA DUO-Tec 60 GA & 1.48 GA



The THINK combustion management system continuously monitors the gas and air mix and adapts its output to suit your heat and hot water requirements most efficiently. The 60 GA & 1.48 GA models have an AFUE of 95% and is ENERGY STAR® certified. Dimensions: 17.75"(w) x 21.5"(d) x 30"(h)

MODEL	ITEM NUMBER	TYPE	INPUT (MBH) CH/DHW	HTG. CAP. (MBH)	AHRI NET (MBH)	FUEL	AFUE%	SHP WGT. LB	TRADE PRICE
60 GA	BXC120503600113	COMBI	164/205	153/180	133	NAT/LP	95	125	\$4,325
1.48 GA	BXH116503600113	HEATING	164	153	133	NAT/LP	95	125	\$4,129

CONDENSING BOILERS

LUNA DUO-Tec 1.70 MP



The Luna Duo-Tec 1.70 MP has an AFUE of 95% and is ENERGY STAR® certified.

Dimensions: 17.75"(w) x 23"(d) x 30.06"(h)

MODEL	ITEM NUMBER	TYPE	INPUT (MBH) CH/DHW	HTG. CAP. (MBH)	AHRI NET (MBH)	FUEL	AFUE%	SHP WGT LB	TRADE PRICE
1.70 MP	BD7715518	HEATING	241	216	188	NAT	95	120.2	\$6,872

LUNA DUO-Tec 1.110 MP


















The Luna Duo-Tec 1.110 MP, for light commercial applications, has a Thermal Efficiency of 95%.

Dimensions: 23.63"(w) x 25.38"(d) x 37.44"(h)

MODEL	ITEM NUMBER	TYPE	INPUT (MBH) CH/DHW	HTG. CAP. (MBH)	AHRI NET (MBH)	FUEL	Thermal Eff. %	SHP WGT LB	TRADE PRICE
1.110 MP	BD7715519	HEATING	379	348	303	NAT	95	215	\$8,942

















ACCESSORIES & VENTING Use Parts Multiplier for the Following

COAXIAL POLYPROPYLENE VENTING






30GA	40/1.33GA	60/1.48GA	1.70MP	1.110MP	IMAGE	ITEM NUMBER	DESCRIPTION	TRADE PRICE
X	X					KUG714059511	4"/2" (60/100mm)COAXIAL PIPE 3.28' (1m) L	\$48
X	X					KUG714059611	4"/2" (60/100mm)HORIZONTAL VENT TERM	\$60
X	X					KUG714059711	4"/2" (60/100mm)COAXIAL 90 ELBOWS	\$38
X	X					KUG714059811	4"/2" (60/100mm)COAXIAL 45 ELBOWS	\$38
X	X					KUG714135813	4"/2" (60/100mm)VERTICAL VENT TERM	\$142
		X	X			KHG714088512	5"/3" (80/125mm)COAXIAL PIPE 3.28' (1m) L	\$70
		X	X			KHG714088713	5"/3" (80/125mm)COAXIAL 90 ELBOWS	\$39
		X	X			KHG714088812	5"/3" (80/125mm)COAXIAL 45 ELBOWS	\$39
		X	X			KHG714088911	5"/3" (80/125mm)HORIZONTAL VENT TERM	\$80
		X	X			KHG714093512	5"/3" (80/125mm)VERTICAL VENT TERM	\$111
				X		KUG714133311	6"/4" (110/160mm)HORIZONTAL VENT TERM	\$294
				X		KUG714133411	6"/4" (110/160mm)VERTICAL VENT TERM	\$373
				X		KUG714133511	6"/4" (110/160mm)COAXIAL 45 ELBOWS	\$105
				X		KUG714133611	6"/4" (110/160mm)COAXIAL 90 ELBOWS	\$105
				X		KUG714133811	6"/4" (110/160mm)COAXIAL PIPE 3.28' (1m) L	\$144

ACCESSORIES & VENTING Use Parts Multiplier for the Following

TWIN PIPE POLYPROPYLENE VENTING

30GA	40/1.33GA	60/1.48GA	1.70MP	1.110MP	IMAGE	ITEM NUMBER	DESCRIPTION	TRADE PRICE
X	X					KHG714059113	2" (60/100mm)CONCENTRIC TO TWIN PIPE AD.	\$21
X	X	X	X			550003416	3" (80mm)VENTING CLAMP SINGLE WALL	\$45
X	X	X				550003452	3" (80mm)CLAMSHELL CLAMP (5PK)	\$44
X	X	X	X			KUG714132010	3" (80mm)HORIZONTAL VENT TERM	\$24
X	X	X	X			KUG714132110	3" (80mm)VERTICAL VENT TERM	\$59
X	X	X	X			550003734	3" (80mm)POLYPROPYLENE 45 ELBOW W/ CLAMP	\$18
X	X	X	X			550003735	3" (80mm)POLYPROPYLENE 90 ELBOW W/ CLAMP	\$18
X	X	X	X			550003767	3" (80mm)POLYPROPYLENE PIPE 3.28' (1m) L, W/ CLAMP	\$26
		X	X			KHG714089010	3" (80/125mm)CONCENTRIC TO TWIN PIPE AD.	\$48
			X			550003453	4" (110mm)CLAMSHELL CLAMP (5PK)	\$59
			X			BD7106314V	4" (110/160mm)CONCENTRIC TO TWIN PIPE AD.	\$156
			X			KUG714132710	4" (110mm)HORIZONTAL VENT TERM	\$151
			X			KUG714132810	4" (110mm)VERTICAL VENT TERM	\$135
			X			550003731	4" (110mm)POLYPROPYLENE 45 ELBOW, W/ CLAMP	\$40
			X			550003732	4" (110mm)POLYPROPYLENE 90 ELBOW, W/ CLAMP	\$40
			X			550003733	4" (110mm)POLYPROPYLENE PIPE 3.28' (1m) L, W/ CLAMP	\$54

ACCESSORIES & VENTING Use Parts Multiplier for the Following

TWIN PIPE CPVC VENTING						IMAGE	ITEM NUMBER	DESCRIPTION	TRADE PRICE
30GA	40/1.33GA	60/1.48GA	1.70MP	1.110MP			550003184	TWIN PIPE ADAPTER 60MM TO CPVC 3"	\$70
X	X						BD710268902	TWIN FLUE ADAPTER 80MM	\$84
		X	X				550003403	TWIN PIPE ADAPTER 80MM TO CPVC 3"	\$131
ACCESSORIES									
30GA	40/1.33GA	60/1.48GA	1.70MP	1.110MP			BD710487302V	OUTDOOR AIR SENSOR	\$45
X	X	X	X	X			550003189	DHW SENSOR KIT	\$97

CONTROLS

The **Baxi Multiple Boiler Control (MBC)** operates up to four boilers and resets the heating system water temperature based on outdoor air temperatures. Baxi boilers are piped in primary/secondary arrangement and the MBC control automatically selects how many boilers are needed to maintain the required heating load. Selecting multiple Baxi boilers maximizes your energy savings and provides backup heating capabilities.



STAGING CONTROL

MODEL	ITEM NUMBER	DESCRIPTION	TRADE PRICE
AMB4B	AMB4BBX	MULTIPLE BOILER CONTROL (MBC) ON/OFF CONTROL: INCLUDES (2) WATER TEMPERATURE SENSORS, (1) OUTDOOR SENSOR	\$1,326
ADDITIONAL ACCESSORIES (Use Parts Multiplier for the Following)			
AMB4B	240012663	WATER TEMPERATURE SENSOR	\$119
AMB4B	240012664	OUTDOOR SENSOR	\$119

INDIRECT TANKS

BAXI H2O GL SERIES - GLASS LINED SINGLE COIL INDIRECT WATER HEATER



Conforms to UL STD 174
 Certified to CAN/CSA STD C22.2 No. 110-94

- 42-79 Gallon Capacities
- Easy to Install
- Low Pressure Drop
- Magnesium Anode Rod Corrosion Protection
- Enameled Coated Steel Tank and Coil
- Minimal Standby Losses
- Flexible Scratch Resistant Jacket Aquastat Sensor Well

MODEL	ITEM NUMBER	STOR. CAP. (GALS.)	TYPE	MAX. FIRST HOUR RATING Gal./Hr. @ 115° F	CONTINUOUS RATING Gal./Hr. @ 115° F	BOILER OUTPUT REQ. (BTU/Hr.)	SHP WGT. LB	TRADE PRICE
H2O 40 GL	H2OIG40BX	42	GLASS LINED	256	220	120,000	180	\$1,271
H2O 50 GL	H2OIG50BX	53	GLASS LINED	310	268	140,000	200	\$1,447
H2O 80 GL	H2OIG80BX	79	GLASS LINED	346	281	180,000	243	\$2,006

BAXI H2O GL SERIES (Use Parts Multiplier for the Following)

MODEL	ITEM NUMBER	DESCRIPTION	TRADE PRICE
40-80 GAL.	240010926	T & P VALVE 3/4, 100XL-8	\$59
40-80 GAL.	AQ-020.01	AQUASTAT WELL	\$41
40-80 GAL.	240013432	AQUASTAT	\$163
40-50 GAL.	240012211	PLASTIC TOP CAP	\$32
80 GAL.	240012239	PLASTIC TOP CAP	\$45
40-80 GAL.	240012212	PLASTIC FRONT CAP	\$8
40-50 GAL.	550003505	ANODE KIT MAGNESIUM (INCLUDES ANODE, GASKET & BUSHING)	\$43
80 GAL.	550003527	ANODE KIT MAGNESIUM (INCLUDES ANODE, GASKET & BUSHING)	\$83
40-50 GAL.	550003694	ANODE KIT ALUMINUM (INCLUDES ANODE, GASKET & BUSHING)	\$43
80 GAL.	550003695	ANODE KIT ALUMINUM (INCLUDES ANODE, GASKET & BUSHING)	\$83
40-50 GAL.	240012250	FLANGE CAP	\$45
80 GAL.	240012251	FLANGE CAP	\$17
40-50 GAL.	240012210	FLANGE GASKET	\$2
80 GAL.	240012238	FLANGE GASKET	\$4
40-50 GAL.	550003510	HARDWARE KIT (INCLUDES BOLTS & NUTS FOR FLANGE CAP)	\$4
80 GAL.	550003525	HARDWARE KIT (INCLUDES BOLTS & NUTS FOR FLANGE CAP)	\$4
H2O 40 GL	240012329	OUTSIDE TANK COVER	\$122
H2O 50 GL	240012330	OUTSIDE TANK COVER	\$130
H2O 80 GL	240012331	OUTSIDE TANK COVER	\$142
40-50 GAL.	240012483	TEMPERATURE GAUGE	\$18
80 GAL.	240012484	TEMPERATURE GAUGE	\$26

TERMS & CONDITIONS OF SALE - GENERAL TERMS

PRICES & SPECIFICATIONS: All pricing and specifications subject to change without notice. The prices herein supersede all prior quotations.

ORDERS: Orders will be accepted based on prices in effect at the time the order is received. No order or contract will become an obligation on our part until accepted by the General Sales Department. Baxi N.A. shall not be liable for any delay or failure in the delivery or shipment of goods due to any cause or causes beyond its control.

TAXES: Add to the prices and terms quoted any manufacturers' or sales tax payable on the transaction under any effective statute.

SHIPMENTS

US Shipments East of the Mississippi: 10 boilers ship Free Freight Allowed (FFA), 20 boilers ships FFA plus earns an additional 2% discount off each boiler

US Shipments West of the Mississippi: 20 boilers ships FFA, 40 boilers ships FFA plus earns an additional 2% discount off each boiler

Canadian Shipments: Consult Factory

ORDER INFORMATION CHECK LIST

The following information must be included on equipment or parts orders to insure proper shipment & invoicing:

- 1) Purchase Order Number
- 2) Bill to Address
- 3) Ship to Address
- 4) Method of Shipment (i.e. - trailer load, UPS, etc.)
- 5) Requested Ship Date
- 6) Special Instructions (i.e. - "Carrier to call...")
- 7) Pricing
- 8) Product Description (i.e. - Model, Size, Series, etc.)
- 9) Fuel Characteristics (i.e. Oil, Natural Gas, Propane)
- 10) Electrical Characteristics (i.e. - Operating Voltage, Cycles, Phases, etc.)
- 11) Non-Standard Equipment (Indicate "Optional" when substituted for standard equipment at extra cost listed. Indicate added to standard equipment).
- 12) Kits or Parts (Orders for kits or parts must indicate equipment size and series).
- 13) Send orders via to **E-mail: customerservice@baxiboilers.com**
- 14) Please note the following Remit to Address:

Baxi N.A.
P.O. Box 4796
Utica, NY 13504

U.S. DISTRIBUTOR - RETURN MATERIAL POLICY

To assist in providing the best service to our valued customers, Baxi N.A. has developed the following guidelines to help you in the unlikely event that you will need to return merchandise purchased from us. These guidelines have been developed after carefully reviewing common industry practice. We trust that you find them fair and easy to follow.

Prior Approval Required - All returns for exchange, credit, repair service or warranty claim must be approved by Baxi N.A. and require an RMA number prior to return of the material. A request must be completed via the online web portal. Please log on to www.ecrcustomerportal.com (hyperlink below) to complete your request for return. If you do not already have access to the customer web portal, please contact Baxi N.A. Customer Service at 1-844-422-9462 or customerservice@baxiboilers.com to be set-up.

Eligibility - An RMA Request must be received within 60 days from the date of invoice for returns of New & Unused product in original packaging. A restocking fee of 15% will be charged for all new and unused returns that are approved for return. Special Order Products (items not offered as standard in Baxi N.A. trade price book) are not eligible for return as new and unused product. Request for Warranty Returns must be made within the period covered by the warranty and must fall under the terms and conditions specified in the warranty.

RMA Expiration - Once the RMA number is issued, the product must be returned within 90 days of the RMA date, or the RMA will be canceled. Products approved for return that are received after 90 days from the RMA date will not be accepted.

Shipping & Packaging - All returns must have a valid RMA number clearly displayed on the exterior of the package or the package will not be accepted. All returns of new and unused product must be in the original packaging. All returns must be shipped prepaid by the customer unless otherwise directed by Baxi N.A. as indicated on the RMA Verification. Ship all approved return material to the facility indicated on the approved RMA Request by the date indicated.

Replacement Product - If replacement product is desired it must be indicated on the RMA Request. A PO# is required for the replacement shipment and must be indicated on the RMA Request. All replacement products will be invoiced at the time of shipment. Baxi N.A. will pay the ground freight for all warranty replacements.

Application of Credit - Credit for returned product will be applied to the customer's account (less restocking fees for New and Unused returns) only after confirmation of receipt by Baxi N.A. and inspection of the product. Issuance of a credit for a partial return of product does not relieve the customer from the obligation to remit payment for the merchandise not returned in accordance with the payment terms referenced on the customer's invoice(s). Customer will have the option to have any product that is denied for credit returned at their expense.

