

New Product Announcement

Dunkirk Boilers introduces the DCB boiler

We are pleased to announce the new Dunkirk Boilers DCB Condensing Boiler! The DCB (**DCB** – **D**unkirk **C**ondensing **B**oiler) boiler is a high efficiency modulating condensing boiler. It is available in either a Combi or Heat only version. In Domestic Hot Water mode, the Combi boiler will fire at 153 mbtuh and provide up to 3.5 gallons/minute of domestic hot water. Both versions are rated at 125 mbtuh for Central heating. Some of the other features of the DCB:

- 95 % AFUE Energy Star Most Efficient Boiler
- Artificial Intelligence boiler control
 - Self-Commissioning
 - o Recognizes Natural or LP gas operation and self-adjusts no field conversion kit
 - Continuously calibrates combustion by adjusting air / fuel ratios automatically
 - o 7:1 Turndown Combi Model DHW Mode
 - o 5.7:1 Turndown Combi & Heating Model in CH mode
- 316L Stainless Steel Tube Heat Exchanger and premix burner
- Quick connection to an Indirect tank with Built-in Automatic 3-Way
 Diverting Valve with Anti Seize prevention
- High Limit
- Low Water Pressure Sensor
- Pressure Relief Valve, Temperature Pressure Gauge
- Built in 2-speed Pump
 - Frost Protection,
 - Pump Anti Seize prevention
- 3' 120-volt whip cord & plug

The Combi version also features:

- Stainless Steel Brazed Plate Heat Exchanger
- Automatic 3-Way Diverting Valve with Anti Seize prevention
- 3.5 gallons per minute at 70° rise
- Pre-Heat function speeds delivery of hot water

Venting:

- Boiler allows for 3 venting options
- Refer to the next page for venting options and vent material pricing





Model numbers and trade pricing:

Boiler Model	Item Number	Description	Trade Price
DCB-125	DCB112503600103	Space Heating model, Nat & LP gas, Less system pump	\$2,650
DCB-125	DCB112503610103	Space Heating model, Nat & LP gas, with Taco system pump	\$2,784
DCB-125	DCB112503620103	Space Heating model, Nat & LP gas, with Grundfos system pump	\$2,784
DCC-150	DCC115003600103	Combi model, Nat & LP gas, Less system pump	\$2,830
DCC-150	DCC115003610103	Combi model, Nat & LP gas, With Taco system pump	\$2,964
DCC-150	DCC115003620103	Combi model, Nat & LP gas, With Grundfos system pump	\$2,964

Venting accessories for the DCB Boiler:

The **Coaxial** (pipe in a pipe) and **2-pipe Polypropylene** vent materials for the DCB boiler are a *Certified Venting System* and can *only* be purchased from Dunkirk Boilers. Additional venting options are in development and awaiting certification. A separate announcement will be sent when they are available. The CPVC option will require the purchase of an adapter as shown below but the pipe & fittings can be sourced anywhere as long as they meet the UL1738/S636 requirement.

(USE PARTS MULTIPLIER FOR ALL OF THE FOLLOWING)						
DCB/DCC VENTING MATERIALS						
COAXIAL VENTING						
VENTING COAXIAL	DESCRIPTION	ITEM	TRADE PRICE			
	Coaxial Pipe 3.28' (1m) Long	KUG714059511	\$36			
	Coaxial 90 Elbows	KUG714059711	\$26			
	Coaxial 45 Elbows	KUG714059811	\$26			
0	Horizontal Vent Termination	KUG714059611	\$44			
	Vertical Vent Termination	KUG714135812	\$104			



(1	JSE PARTS MULTIPLIER FOR ALL OF THE FO	OLLOWING)	
	TWIN PIPE POLYPROPYLENE VENTII	NG	
POLYPROPYLENE VENTING	DESCRIPTION	ITEM	TRADE PRICE
88	Boiler Appliance Twin Pipe Adapters For Polypropylene	KHG714059113	\$16
	Polypropylene Pipe 3.28' (1m) Long	KUG714132610	\$15
Q	Polypropylene 90 Elbows	KUG714132410	\$10
	Polypropylene 45 Elbows	KUG714132310	\$10
8	Horizontal Vent Termination	KUG714132010	\$17
-	Vertical Vent Termination	KUG714132110	\$43
	TWIN PIPE CPVC UL1738 / S636 VENTING A	DAPTERS	
22	DESCRIPTION	ITEM	TRADE PRICE
	Boiler Appliance Twin Pipe Adapters For 3" CPVC UL1738 / S636	550003184	\$53
	OPTIONAL ITEMS		<u> </u>
(USE PARTS MULT	PLIER FOR ALL OF THE FOLLOWING)	PN	TRADE
0	BD710487302V	\$32	
	KHG714076810	\$57	
	240010266	\$587	

If you have any questions regarding this product please contact your Dunkirk Sales Manager, Dunkirk Representative or call 1-800-235-5749.