

I-verter Series Variable Speed Heat Pump Ductless Split Systems Single Zone and Multi-Zone Condensers Wall and Ceiling Cassette Air Handlers





Customer Service Technical Support Phone: 800-325-5479 Fax: 315-724-9319/866-432-7329 www.enviromaster.com

Corporate Sales Phone: 877-386-5479 Fax: 716-366-4670



Literature literature@ecrinternational.com



Table of Contents

Page 1 - Cover

Page 2 - Table of Contents
Page 3 - Terms of Sale and RMA Policy
Page 4 - EMI I-verter Series Ductless Split System Air Handler Decoding
Page 5 - EMI I-verter Series Ductless Split System Condenser Decoding
Page 6 - EMI I-verter Series Single Zone Variable Speed Heat Pump Ductless Split Systems
Page 7 - EMI I-verter Series Single Zone Variable Speed Heat Pump Ductless Split Systems
Page 8 - EMI I-verter Series Multi-Zone Variable Speed Heat Pump Ductless Split Systems
Page 9 - EMI I-verter Series Multi-Zone Variable Speed Heat Pump Split System Combinations
Page 10 - EMI I-verter Series Multi-Zone Variable Speed Heat Pump Split System Line Sets
Page 11 - Standard EMI Limited Product Warranty

Terms of Sale and RMA Policy

GENERAL TERMS & CONDITIONS OF SALE

PRICES & SPECIFICATIONS: All pricing and specifications subject to change without notice; prices herein supersede all prior quotations, promotions and addendums.

ORDERS: All EMI orders will be accepted on the basis of prices in effect at the time the order is received. No order or contract will become an obligation on our part until accepted by the General Sales Department. ECR International shall not be liable for any delay, or failure in the delivery or shipment of goods, due to any cause or causes beyond its control.

LEAD TIMES: Customers are encouraged to check with the factory for product availability. ECR will not carry inventory of special models.

LARGE JOBS: Please consult the factory for pricing and availability for any special order models or more than 48 systems.

TAXES: Add to the prices and terms quoted any manufacturers' or sales tax payable on the transaction under any effective statute. All orders must include sales tax or resale certificate of sales tax exemption (If not already on file).

SHIPMENT

Freight Terms: Free Freight Allowed on 12 Systems or more to any Single Destination in Continental US excluding Alaska. Orders with other ECR products can be combined to qualify against standard freight policy. F.O.B. ECR INTERNATIONAL - FACTORY OR WAREHOUSE

ORDER INFORMATION CHECKLIST

The following information must be included on equipment or parts orders to insure proper shipment & invoicing:

- 1) Purchase Order Number
- 2) Bill To Address
- 3) Ship To Address
- 4) Method of Shipment (i.e. trailer load, UPS, etc.)
- 5) Requested Ship Date
- 6) Special Instructions (i.e. "Carrier to call...")
- 7) Pricing
- 8) Product Description (i.e. Model, Size, Series, etc.)
- 9) Electrical Characteristics (i.e. Operating Voltage, Cycles, Phases, etc.)
- 11) Kits or Parts (Orders for kits/parts must minimally indicate equipment size & Series, complete model number preferred. ECRorderentry@ecrinternational.com OR FAX: 1-866-432-7329 13) Remit To Address: ECR International. Inc. P.O. Box 8000 Department 039

Buffalo, NY 14267

10) Non-Standard Equipment (Indicate "Optional" when substituted

for standard equipment at extra cost listed. Indicate "Additional"

when added to standard equipment).

12) Submit order to:

RMA POLICY

To assist in providing the best service to our valued customers, ECR International has developed the following guidelines to help you in the unlikely event that you will need to return merchandise purchased from us. These guidelines have been developed after carefully reviewing common industry practice. We trust that you find them fair and easy to follow.

Prior Approval Required - All returns for warranty claims must be approved by ECR and require a RMA number prior to the return of the material. A request must be completed via ECR International's online web portal. Please logon to www.ecrcustomerportal.com (hyperlink below) to complete your request for return. If you do not already have access to the customer web portal please contact ECR Customer Service at 1-800-325-5479 to be set up.

Eligibility - Special Order Products are not eligible for return as new and unused product. Request for Warranty Returns must be made within the period covered by the warranty and must fall under the terms and conditions specified in the warranty.

RMA Expiration - Once the RMA # is issued, the product must be returned within 90 days of the RMA date, or the RMA will be canceled. Products approved for return that are received after 90 days from the RMA date will not be accepted.

Shipping & Packaging - All returns must have a valid RMA number clearly displayed on the exterior of the package or the package will not be accepted. All returns must be shipped prepaid by the customer unless otherwise directed by ECR. Ship all approved return material to the facility indicated on the approved RMA.

http://www.ecrcustomerportal.com


EMI I-verter Series Variable Speed Heat Pump Ductless Split Systems Air Handler Decoding

	Single and M	ulti Zone V	Nall Air	Handle	er (Heat P	ump)	
Model	Wall Air Handler	Heat Pump		al Rated acity	Voltage	Open	Product Revision
W	AL	Η	0	9	Α	Α	Α
			09 - 9,00 12 - 12,0 18 - 18,0 24 - 24,0 30 - 30,0 36 - 36,0	00 Btuh 00 Btuh 00 Btuh 00 Btuh	A - 115V/1p D - 208/230		2k) sizes only z
Exa	ample shown above -	Customer to	make se	election b	ased on hig	hlighted o	cells.

Si	ngle and Multi-Zo	one Ceiling	g Cassette Air I	Handler (H	leat Pu	mp)
Model	Cassette Air Handler	Heat Pump	Nominal Rated Capacity	Voltage	Open	Product Revision
С	AS	Η	09	D	Α	Α
			09 - 9,000 Btuh 12 - 12,000 Btuh 18 - 18,000 Btuh 24 - 24,000 Btuh			
				D - 208/230)V/1ph/60H	<u>z</u>
Exa	ample shown above	- Customer to	o make selection b	ased on hig	hlighted o	cells.

EMI I-verter Series Variable Speed Heat Pump Ductless Split Systems Condenser Decoding

	Single	Zone	Condenser (H	leat Pu	mp)	
Model Single Zone	Number of Zones	Heat Pump	Nominal Rated Capacity	Voltage	Open	Product Revision
SZ	1	Η	09	Α	Α	Α
			09 - 9,000 Btuh 12 - 12,000 Btuh 18 - 18,000 Btuh 24 - 24,000 Btuh 30 - 30,000 Btuh 36 - 36,000 Btuh		o h/60Hz (9k / 0V/1ph/60H	/12k) sizes only ⊣z
Example s	hown above	- Custor	ner to make selection	on based c	on highligl	hted cells.



	verter Serie	es Single	Zone Varia Wall	ble Speed Air Handl		mp Ductle	ess Split S	systems
				EMIO		8800 		¢
	Outdoor 9K		Outdoor	12K		Inc	loor wall unit	
	EMI I-verte	er Series S	ingle Zone \	/ariable Sp	eed Heat	Pump Sys	tems, 115V	1
Btuh	Indoor #	Indoor \$	Outdoor #	Outdoor \$	SEER	HSPF	EER	System \$
9,000	WALH09AAA	\$ 512	SZ1H09AAA	\$ 768	22.5	10.5	13.5	\$ 1,280
12,000	WALH12AAA	\$ 570	SZ1H12AAA	\$ 855	21.5	11.2	12.5	\$ 1,425
UP)		G						
Outdoor 9K	EMI I-verter	Outdoor 12K		door 18K	Outdoor 24			wall unit
	EMI I-verter	Series Sin	gle Zone Va	riable Spee	d Heat Pu	ımp Systei	ms, <mark>208-23</mark>	0V
Btuh	Indoor #	Series Sin Indoor \$	gle Zone Va Outdoor #	riable Spee Outdoor \$	d Heat Pu SEER	ımp Systei HSPF	ms, 208-23 EER	0V System S
		Series Sin	gle Zone Va	riable Spee	d Heat Pu	ımp Systei	ms, <mark>208-23</mark>	0V
Btuh 9,000	Indoor # WALH09DAA	Series Sin Indoor \$ \$ 558	gle Zone Va Outdoor # SZ1H09DAA	riable Spee Outdoor \$ \$ 837	ed Heat Pu SEER 22.8	ımp Syster HSPF 10.5	ms, <mark>208-23</mark> EER 14	0V System 3 \$ 1,395
Btuh 9,000 12,000	Indoor # WALH09DAA WALH12DAA	Series Sin Indoor \$ \$ 558 \$ 578	gle Zone Va Outdoor # SZ1H09DAA SZ1H12DAA	riable Spee Outdoor \$ \$ 837 \$ 867	d Heat Pu SEER 22.8 21.5	Imp Syster HSPF 10.5 9.8	ms, <mark>208-23</mark> EER 14 13	System S \$ 1,395 \$ 1,445 \$ 1,970 \$ 2,430
Btuh 9,000 12,000 18,000	Indoor # WALH09DAA WALH12DAA WALH18DAA	Series Sin Indoor \$ \$ 558 \$ 578 \$ 788	gle Zone Va Outdoor # SZ1H09DAA SZ1H12DAA SZ1H18DAA	riable Spee Outdoor \$ \$ 837 \$ 867 \$ 1,182	ed Heat Pu SEER 22.8 21.5 20.8	Imp System HSPF 10.5 9.8 10 10 9.6	ms, <mark>208-23</mark> EER 14 13 13 12.5 10.5	System S \$ 1,395 \$ 1,445 \$ 1,970 \$ 2,430 \$ 3,215
Btuh 9,000 12,000 18,000 24,000	Indoor # WALH09DAA WALH12DAA WALH18DAA WALH24DAA	Series Sin Indoor \$ \$ 558 \$ 578 \$ 788 \$ 960	gle Zone Va Outdoor # SZ1H09DAA SZ1H12DAA SZ1H18DAA SZ1H24DAA	riable Spee Outdoor \$ \$ 837 \$ 867 \$ 1,182 \$ 1,470	ed Heat Pu SEER 22.8 21.5 20.8 20.5	Imp Syster HSPF 10.5 9.8 10 10	ms, <mark>208-23</mark> EER 14 13 13 12.5	System S \$ 1,395 \$ 1,445 \$ 1,970 \$ 2,430
Btuh 9,000 12,000 18,000 24,000 30,000	Indoor # WALH09DAA WALH12DAA WALH18DAA WALH24DAA WALH30DAA	Series Sin Indoor \$ \$ 558 \$ 578 \$ 788 \$ 960 \$ 1,286 \$ 1,446	gle Zone Va Outdoor # SZ1H09DAA SZ1H12DAA SZ1H18DAA SZ1H24DAA SZ1H30DAA SZ1H36DAA	riable Spee Outdoor \$ \$ 837 \$ 867 \$ 1,182 \$ 1,470 \$ 1,929 \$ 2,169	ed Heat Pu SEER 22.8 21.5 20.8 20.5 18.0 16.0	HSPF 10.5 9.8 10 9.6 10	ms, <mark>208-23</mark> EER 14 13 13 12.5 10.5	System S \$ 1,395 \$ 1,445 \$ 1,970 \$ 2,430 \$ 3,215
Btuh 9,000 12,000 18,000 24,000 30,000 36,000	Indoor # WALH09DAA WALH12DAA WALH18DAA WALH24DAA WALH30DAA	Series Sin Indoor \$ \$ 558 \$ 578 \$ 788 \$ 960 \$ 1,286 \$ 1,446	gle Zone Va Outdoor # SZ1H09DAA SZ1H12DAA SZ1H12DAA SZ1H24DAA SZ1H24DAA SZ1H30DAA SZ1H36DAA	riable Spee Outdoor \$ \$ 837 \$ 867 \$ 1,182 \$ 1,470 \$ 1,929 \$ 2,169 Accessories	ed Heat Pu SEER 22.8 21.5 20.8 20.5 18.0 16.0	HSPF 10.5 9.8 10 9.6 10	ms, <mark>208-23</mark> EER 14 13 13 12.5 10.5	System S \$ 1,395 \$ 1,445 \$ 1,970 \$ 2,430 \$ 3,215 \$ 3,615
Btuh 9,000 12,000 18,000 24,000 30,000 36,000 Part #	Indoor # WALH09DAA WALH12DAA WALH18DAA WALH24DAA WALH30DAA WALH36DAA	Series Sin Indoor \$ \$ 558 \$ 578 \$ 788 \$ 960 \$ 1,286 \$ 1,446 \$ 1,446	gle Zone Va Outdoor # SZ1H09DAA SZ1H12DAA SZ1H12DAA SZ1H24DAA SZ1H24DAA SZ1H30DAA SZ1H36DAA	riable Spee Outdoor \$ \$ 837 \$ 867 \$ 1,182 \$ 1,470 \$ 1,929 \$ 2,169 Accessories escription	ed Heat Pu SEER 22.8 21.5 20.8 20.5 18.0 16.0 s (Optional	Imp System HSPF 10.5 9.8 10 10 9.6 10 10 al)	ms, 208-23 EER 14 13 13 12.5 10.5 8.5	System S \$ 1,395 \$ 1,445 \$ 1,970 \$ 2,430 \$ 3,215 \$ 3,615
Btuh 9,000 12,000 18,000 24,000 30,000 36,000	Indoor # WALH09DAA WALH12DAA WALH18DAA WALH24DAA WALH30DAA WALH36DAA	Series Sin Indoor \$ \$ 558 \$ 578 \$ 788 \$ 960 \$ 1,286 \$ 1,446 S ump, Stand-A	gle Zone Va Outdoor # SZ1H09DAA SZ1H12DAA SZ1H12DAA SZ1H24DAA SZ1H30DAA SZ1H30DAA SZ1H30DAA	riable Spee Outdoor \$ \$ 837 \$ 867 \$ 1,182 \$ 1,470 \$ 1,929 \$ 2,169 Accessories escription 144" Lift, Exte	ed Heat Pu SEER 22.8 21.5 20.8 20.5 18.0 16.0 s (Optional	Imp System HSPF 10.5 9.8 10 9.6 10 9.6 10	ms, 208-23 EER 14 13 13 12.5 10.5 8.5	System \$ \$ 1,395 \$ 1,445 \$ 1,445 \$ 2,430 \$ 3,215 \$ 3,615
Btuh 9,000 12,000 18,000 24,000 30,000 36,000	Indoor # WALH09DAA WALH12DAA WALH18DAA WALH24DAA WALH30DAA WALH36DAA	Series Sin Indoor \$ \$ 558 \$ 578 \$ 788 \$ 960 \$ 1,286 \$ 1,446 S ump, Stand-A	gle Zone Va Outdoor # SZ1H09DAA SZ1H12DAA SZ1H12DAA SZ1H18DAA SZ1H24DAA SZ1H30DAA SZ1H36DAA SZ1H36DAA SZ1H36DAA SZ1H36DAA	riable Spee Outdoor \$ \$ 837 \$ 867 \$ 1,182 \$ 1,470 \$ 1,929 \$ 2,169 Accessories escription 144" Lift, Exte	ed Heat Pu SEER 22.8 21.5 20.8 20.5 18.0 16.0 s (Optional Floor Mount	Imp System HSPF 10.5 9.8 10 9.6 10 9.6 10	ms, 208-23 EER 14 13 13 12.5 10.5 8.5	System S \$ 1,395 \$ 1,445 \$ 1,970 \$ 2,430 \$ 3,215 \$ 3,615

Notes:

Control & Power wiring are high-voltage, field-supplied per local code requirements.

An Infrared Hand-Held Remote Controller comes with every air handler.

Optional Wired Wall Thermostats are available.

EMI I-verter Series Single Zone Variable Speed Heat Pump Ductless Split Systems Ceiling Cassettes





Outdoor 12K







Cassette

EMI I-vei	EMI I-verter Series Single Zone Variable Speed Heat Pump Ceiling Cassette Systems, 208-230V							
Btuh	Indoor #	Indoor \$	Outdoor #	Outdoor \$	SEER	HSPF	EER	System \$
9,000	CASH09DAA	\$ 650	SZ1H09DAA	\$ 837	20.0	10.5	13.0	\$ 1,487
12,000	CASH12DAA	\$ 695	SZ1H12DAA	\$ 867	21.5	10.5	14.0	\$ 1,562
18,000	CASH18DAA	\$ 750	SZ1H18DAA	\$ 1,182	20.0	10.3	12.5	\$ 1,932
24,000	CASH24DAA	\$ 895	SZ1H24DAA	\$ 1,470	20.0	10.5	12.5	\$ 2,365
Btuh Unit Size	Part Num	ber - MUST	BE ORDERE	D WITH ABO	VE CASSE	TTE UN	ITS	Facia Pricing
9,000 12,000 18,000	TMBQ403E -	Facia Panel - Mu	ist be ordered with	unit listed above. F	Packaged and S	Sold Separa	tely.	\$96
24,000	TMBQ02C1 - Facia Panel - Must be ordered with unit listed above. Packaged and Sold Separately.						\$112	
		Sir		cessories (Op	otional)			
Part #				ription				Price Each
240003106	Condensate Pump, Stand-Alone, 208-230v, 144" Lift, External Floor Mount, Field-installed							\$ 107
240003107	Condensate Pump, Stand-Alone, 115v, 144" Lift, External Floor Mount, Field-installed \$107							
KJR12B			Wired Wall The	rmostat, Celsius				\$ 67
KJR12BDPTF1		V	Vired Wall Therr	nostat, Fahrenhe	it			\$ 67

Notes:

Control & Power wiring are high-voltage, field-supplied per local code requirements.

An Infrared Hand-Held Remote Controller comes with every air handler.

Optional Wired Wall Thermostats are available.

EMI I-verter Series Multi-Zone Variable Speed Heat Pump Ductless Split Systems









Outdoor 18K, 27K, 36K

Outdoor 48K

Indoor Wall

Indoor Cassette

EMI I-verter Series Multi-Zone Variable Speed Heat Pump Condensers, 208-230V						
Btuh	Outdoor #	Zones	SEER	HSPF	EER	Outdoor Price \$
18,000	MZ2H18DAA	2	21.5	10.0	12.5	\$2,065
27,000	MZ3H27DAA	3	22.0	9.8	12.0	\$2,635
36,000	MZ4H36DAA	4	22.5	10.3	10.9	\$3,635
48,000	MZ5H45DAA	5	21.5	10.4	11.6	\$4,705
· · · · ·						
	EMI I-verter Series Multi-Zo	ne Heat F	Pump Wall	Air Handler	s, 208-23(V
Btuh	Indoor #	Туре	SEER	HSPF	EER	Indoor Price \$
9,000	WALH09DAA	Wall	22.8	10.5	14.0	\$558
12,000	WALH12DAA	Wall	21.5	9.8	13.0	\$578
18,000	WALH18DAA	Wall	20.8	10.0	13.0	\$788
24,000	WALH24DAA	Wall	20.5	10.0	12.5	\$960
EM	I I-verter Series Multi-Zone Hea	at Pump (Ceiling Cas	sette Air Ha	andlers, 2	08-230V
Btuh	Indoor #	Туре	SEER	HSPF	EER	Indoor Price \$
9,000	CASH09DAA	Cassette	20.0	10.5	13.0	\$650
12,000	CASH12DAA	Cassette	21.5	10.5	14.0	\$695
18,000	CASH18DAA	Cassette	20.0	10.3	12.5	\$750
24,000	CASH24DAA	Cassette	20.0	10.5	12.5	\$895
	Air Panel Facia -	must be ord	lered separate	ly from unit		
Btuh Unit Size	F	Part Numl	oer			Facia Pricing
9,000 12,000 18,000	TMBQ403E - Facia Panel - Must be order	ed with unit I	isted above. Pa	ackaged and Sol	ld Separately	\$96
	TMBQ02C1 - Facia Panel - Must be order	red with unit	listed above. Pa	ackaged and So	ld Separately	/ \$112
	Multi-Zon	e Access	ories (Opti	onal)		
Part #		Descripti	on			Price Each
240003106	Condensate Pump, Stand-Alone, 208-	-230v, 144"	Lift, External F	loor Mount, Fie	eld-installed	\$ 107
240003107	\$ 107					
KJR12B	Wired W	all Thermos	tat, Celsius			\$ 67
KJR12BDPTF1	Wired Wal	II Thermosta	t, Fahrenheit			\$ 67

Notes:

Control & Power wiring are high-voltage, field-supplied per local code requirements.

An Infrared Hand-Held Remote Controller comes with every air handler.

Optional Wired Wall Thermostats are available.

EMI I-verter Series Multi-Zone Variable Speed Heat Pump Ductless Split System Combinations and Line Sets

	Air Hand	ller Combinations	s, per Condenser Mo	del
Model #	2-Zone	3-Zone	4-Zone	5-Zone
MZ2H18DAA	9K + 9K 9K + 12K 12K + 12K	N/A	N/A	N/A
MZ3H27DAA	9K + 9K 9K + 12K 9K + 18K 12K + 12K 12K + 18K 18K + 18K	9K + 9K + 9K 9K + 9K + 12K 9K + 12K + 12K 9K + 9K + 18K 12K + 12K + 12K	N/A	N/A
MZ4H36DAA	9K + 9K 9K + 12K 9K + 18K 9K + 24K 12K + 12K 12K + 18K 12K + 24K 18K + 18K	9K + 9K + 9K $9K + 9K + 12K$ $9K + 9K + 18K$ $9K + 12K + 12K$ $9K + 12K + 12K$ $9K + 12K + 18K$ $12K + 12K + 12K$ $12K + 12K + 18K$ $12K + 12K + 24K$ $12K + 18K + 18K$	9K + 9K + 9K + 9K 9K + 9K + 9K + 12K 9K + 9K + 9K + 18K 9K + 9K + 12K + 12K 9K + 9K + 12K + 12K 9K + 12K + 12K + 12K 12K + 12K + 12K + 12K	N/A
MZ5H45DAA	9K + 18K 9K + 24K 12K + 12K 12K + 18K 12K + 24K 18K+18K 18K+24K 24K+24K	$\begin{array}{r} 9{\rm K} + 9{\rm K} + 9{\rm K} \\ 9{\rm K} + 9{\rm K} + 12{\rm K} \\ 9{\rm K} + 9{\rm K} + 12{\rm K} \\ 9{\rm K} + 9{\rm K} + 24{\rm K} \\ 9{\rm K} + 12{\rm K} + 12{\rm K} \\ 9{\rm K} + 12{\rm K} + 12{\rm K} \\ 9{\rm K} + 12{\rm K} + 24{\rm K} \\ 9{\rm K} + 12{\rm K} + 24{\rm K} \\ 9{\rm K} + 12{\rm K} + 24{\rm K} \\ 9{\rm K} + 18{\rm K} + 24{\rm K} \\ 9{\rm K} + 24{\rm K} + 24{\rm K} \\ 12{\rm K} + 12{\rm K} + 12{\rm K} + 12{\rm K} \\ 12{\rm K} + 12{\rm K} + 12{\rm K} \\ 12{\rm K} + 12{\rm K} + 24{\rm K} \\ 12{\rm K} + 12{\rm K} + 24{\rm K} \\ 12{\rm K} + 12{\rm K} + 24{\rm K} \\ 12{\rm K} + 12{\rm K} + 24{\rm K} \\ 12{\rm K} + 12{\rm K} + 24{\rm K} \\ 12{\rm K} + 18{\rm K} + 18{\rm K} \\ 12{\rm K} + 18{\rm K} + 24{\rm K} \\ 12{\rm K} + 24{\rm K} + 24{\rm K} \\ 12{\rm K} + 24{\rm K} + 24{\rm K} \\ 12{\rm K} + 24{\rm K} + 24{\rm K} \\ 12{\rm K} + 18{\rm K} + 18{\rm K} \\ 18{\rm K} + 18{\rm K} + 18{\rm K} \\ 18{\rm K} + 18{\rm K} + 24{\rm K} \end{array}$	$\begin{array}{r} 9{\rm K}+9{\rm K}+9{\rm K}+9{\rm K}\\ 9{\rm K}+9{\rm K}+9{\rm K}+12{\rm K}\\ 9{\rm K}+9{\rm K}+9{\rm K}+12{\rm K}\\ 9{\rm K}+9{\rm K}+9{\rm K}+24{\rm K}\\ 9{\rm K}+9{\rm K}+12{\rm K}+12{\rm K}+12{\rm K}\\ 9{\rm K}+9{\rm K}+12{\rm K}+12{\rm K}+12{\rm K}\\ 9{\rm K}+9{\rm K}+12{\rm K}+24{\rm K}\\ 9{\rm K}+12{\rm K}+12{\rm K}+12{\rm K}+12{\rm K}\\ 9{\rm K}+12{\rm K}+12{\rm K}+12{\rm K}+12{\rm K}\\ 9{\rm K}+12{\rm K}+12{\rm K}+12{\rm K}+18{\rm K}\\ 9{\rm K}+12{\rm K}+12{\rm K}+24{\rm K}\\ 12{\rm K}+12{\rm K}+12{\rm K}+24{\rm K}\\ 12{\rm K}+12{\rm K}+12{\rm K}+24{\rm K}\\ 12{\rm K}+12{\rm K}+12{\rm K}+12{\rm K}+18{\rm K}\\ 12{\rm K}+12{\rm K}+12{\rm K}+18{\rm K}+18{\rm K}\\ 12{\rm K}+12{\rm K}+12{\rm K}+18{\rm K}+18{\rm K}\\ \end{array}$	9K +

Single & Multi-Zone Line Sets						
Part #	Description	Price Each				
F0323161A	Insulated Tube Set, 3/8X1/4X16' (5 meters) Flared Connections WALH & CASH 09 size only	\$ 65				
F0323261A	Insulated Tube Set, 3/8X1/4X26' (8 meters) Flared Connections WALH & CASH 09 size only	\$ 100				
F0323491	Insulated Tube Set, 3/8X1/4X49' (15 meters) Flared Connections WALH & CASH 09 size only	\$ 200				
F0423161A	Insulated Tube Set, 1/2X1/4X16' (5 meters) Flared Connections WALH & CASH 12 & 18 sizes	\$ 75				
F0423261A	Insulated Tube Set, 1/2X1/4X26' (8 meters) Flared Connections WALH & CASH 12 & 18 sizes	\$ 120				
F0423491	Insulated Tube Set, 1/2X1/4X49' (15 meters) Flared Connections WALH & CASH 12 & 18 sizes	\$ 222				
F0533262A	Insulated Tube Set, 5/8X3/8X26' (8 meters) Flared Connections WALH & CASH 24, 30 & 36 sizes	\$ 185				
F0533492A	Insulated Tube Set, 5/8x3/8X49' (15 meters) Flared Connections WALH & CASH 24, 30 & 36 sizes	\$ 345				

Standard EMI Limited Product Warranty



LIMITED WARRANTY EMI I-verter Series Variable Speed Heat Pump Ductless Split Systems

Enviromaster International, LLC (hereafter known as **EMI**) offers to the original purchaser/owner that under normal use and maintenance for comfort cooling and conditioning applications, all **EMI** products will be free from defects in material and workmanship for a period of 24 months from the documented date of original installation or 30 months from the date of manufacture, if the documented date of original installation is not available. Unit compressors shall be free from defects in materials and workmanship under normal use and maintenance for a period 72 months from the documented date of original installation or 78 months from the date of manufacture, if the documented date of original installation is not available.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

WHAT EMI WILL WARRANT:

EMI will provide a replacement for or, at the discretion of **EMI**, repair any or all components that prove to be defective in material or workmanship within the prescribed warranty period. These parts will be supplied at no cost to the original owner. However, the replacement cost does NOT include labor or service costs to diagnose, remove, or install a warranty part.

WHAT EMI WILL NOT WARRANT:

Damages to or arising from misapplication, improper installation or service; Components not supplied or approved by **EMI**, including, without limitation, indoor and outdoor units supplied by others; Installation and normal maintenance such as, but not limited to, replacing air filters, cleaning, air flow adjustments; Products manufactured or distributed by **EMI** but installed outside the United States and Canada; Damages from unauthorized alteration, application or improper operation; or Damages or repairs as a consequence of shipping or handling.

EMI IS ALSO NOT RESPONSIBLE FOR:

Damages caused by faulty or interrupted power supply or electrical service; Damages caused by acts of God including, but not limited to, wind, hail, floods, lightning, earthquakes or other conditions beyond the control of **EMI**.

FURTHER LIMITATIONS:

All implied warranties of merchantability and/or fitness for any particular purpose are limited in duration to the period of the limited warranty. The rights and remedies provided herein are exclusive and constitute the entire contract. This limited warranty and any optional extended warranties are granted only to the original owner/user and become null and void if payment for the goods or product is in default.

In no event shall EMI be liable (whether for breach of this limited warranty or contract, for strict liability for negligence, or otherwise), for any special, incidental, punitive or consequential damages, including, without limitation, damages for loss of profits, loss of goodwill, loss of time or convenience, loss of use of the product, the cost of a product rental, costs of gasoline, electricity, telephone, travel or lodging, or the loss of personal or commercial property, whether or not EMI has been advised of the possibility of any such damages.

In no event shall EMI's obligations under this limited warranty exceed the purchase price of the product.

Any repairs performed under this limited warranty shall not in any way extend the statute of limitations for claims under this limited warranty.

No agent, representative or distributor of EMI has any authority to alter the terms of this limited warranty in any way. For Service or Repair:

1) Contact the installing contractor

- 2) Call the nearest distributor
- 3) Call, E-Mail or write:

Enviromaster International, LLC, c/o ECR International, Inc., 2201 Dwyer Avenue, Utica, NY 13501 Ph: 800-325-5479, Fax: 866-432-7329, E-Mail: emi@enviromaster.com, Web: www.enviromaster.com

PN 240011257 Rev A (11/2015)