

US Trade Price Book - 2022

Effective 4/18/22



Simple. Comfortable. Affordable.







in www.penncoboilers.com





CUSTOMER SUPPORT TEAM

CUSTOMER SERVICE:

Phone: (800) 325-5479 option #2

Fax: (315) 724-9319

Email Purchase Orders: ecrorderentry@ecrinternational.com
Email Inquiries: customerservice@ecrinternational.com

TECHNICAL SUPPORT:

Phone: (800) 253-7900 Fax: (866) 432-7329

Email: technical.support@ecrinternational.com

MARKETING SUPPORT:

Phone: (800) 325-5479 Fax: (315) 733-1759

E-mail: marketing@ecrinternational.com

WWW.ECRCUSTOMERPORTAL.COM

Your On-line Access to:

- Order Status
- Invoices
- Statements
- RMA
- Serial Number Look-Up
- Literature

Table of Contents

Condensing Nati	ural / LP Boilers	4-5
P90	Cast Aluminum Floor Standing Heating Boilers (50-100 MBH)	4
Natural / LP Boile	ers	6-13
15B-K 15C FSB 16 41K	Cast Iron Chimney Vented Boilers (59-235 MBH) Cast Iron Chimney Vented Boilers (262-299 MBH) Cast Iron Induced Draft Chimney/Side Wall Vented Boilers (42-18 Cast Iron Steam Boilers (75-299 MBH) Cast Iron Commercial Steam Boilers (300-1,500 MBH)	6 8 7 MBH) 10 12 14
Oil Boilers		16-19
KWC SBO	Cast Iron Chimney Vented Boilers (112-217 MBH) Cast Iron Steam Boilers (119-210 MBH)	16 18
Indirect Tanks		20-21
H2O GL	Single Coil Glass Lined Indirect Water Heaters (31-106 GALS)	20
Terms & Condition	ons of Sale	22
Shipping & Deliv	ery Policy	23
RMA Policy		24















P90 Cast-Aluminum Floor Standing Heating Boilers


- MBH Input 50 100 (CH)
- 90% AFUE
- · Natural or LP Gas
- High Efficiency Cast Aluminum Heat Exchanger
- Fuel Smart Hydrostat Control: Temperature Limit
- Low Water Cut Off (LWCO)
- Boiler Reset
- Compact Design, Floor Standing Design
- Stainless Steel Premix Burner
- Sealed Combustion
- Induced Draft Blower with Adjustable Exhaust



		General Information (See IOM	for Complete Instructions)					
Mo	odel	P90-050	P90-075	P90-100				
Water Return/Supply			1 1/4" NPT					
Gas		1/2" NPT						
Condensate Drain		1/2" CPVC Stub						
Electrical		120 Volts AC, 60 hertz, 1 p	hase, less than 12 amps(15	amp circuit recommended)				
Water Content	(Gallons)		2.6					
	A-Height	36 1/4"						
Dimensions	B-Width	17 3/4"						
	C-Depth	17 3/8"						







P90 - Cast Aluminum Floor Standing Heating Boilers										
Model	Item Number	Input MBH	AHRI Net MBH	AFUE	Fuel	Pump	Shp. Wgt. Lbs	Trade Price		
P90-50	Q90205003200407	50	39	90.0%	NAT	LESS	256	\$3,908		
P90-75	Q90207503200407	75	59	90.0%	NAT	LESS	256	\$3,908		
P90-100	Q90210003200407	100	78	90.0%	NAT	LESS	256	\$3,908		
P90-50	Q90205003210407	50	39	90.0%	NAT	TACO	256	\$3,989		
P90-75	Q90207503210407	75	59	90.0%	NAT	TACO	256	\$3,989		
P90-100	Q90210003210407	100	78	90.0%	NAT	TACO	256	\$3,989		
P90-50	Q90205003220407	50	39	90.0%	NAT	GRUNDFOS	256	\$3,989		
P90-75	Q90207503220407	75 59 90.0% NAT GRUNDFOS 256								
P90-100	Q90210003220407	100 78 90.0% NAT GRUNDFOS 256						\$3,989		
P90-50	Q90205013200407	50 39 90.0% LP LESS 256								
P90-75	Q90207513200407	75	59	90.0%	LP	LESS	256	\$3,908		
P90-100	Q90210013200407	100	78	90.0%	LP	LESS	256	\$3,908		
P90-50	Q90205013210407	50	39	90.0%	LP	TACO	256	\$3,989		
P90-75	Q90207513210407	75	59	90.0%	LP	TACO	256	\$3,989		
P90-100	Q90210013210407	100	78	90.0%	LP	TACO	256	\$3,989		
P90-50	Q90205013220407	50	39	90.0%	LP	GRUNDFOS	256	\$3,989		
P90-75	Q90207513220407	75	59	90.0%	LP	GRUNDFOS	256	\$3,989		
P90-100	Q90210013220407	100	78	90.0%	LP	GRUNDFOS	256	\$3,989		
	P90	(Use Parts	Multiplier f	or All of the	Following	<u>;)</u>				
Model	Item Number			Descr	ription			Trade Price		
P90-100	29571	CONCENTR	IC VENT KIT	3"				\$287		
P90-100	29570	CONCENTR	IC VENT KIT	2"				\$287		
P90-50	550002631	CONVERSIO	N KIT NAT.	TO LP P90-5	0 (Series IV) 0' - 10,000'		\$100		
P90-75	550002629	CONVERSIO	ON KIT NAT.	TO LP P90-7	5 (Series IV) 5,000' - 10,000	ı	\$100		
P90-75	550002630	CONVERSIO	ON KIT NAT.	TO LP P90-7	5 (Series IV) 0' - 5,000'		\$100		
P90-100	550002700	CONVERSIO	ON KIT NAT.	TO LP P90-1	.00 (Series I	V) 0' - 10,000'		\$100		
P90-50	550002635	CONVERSIO	N KIT LP TO	NAT. P90-5	0 (Series IV) 0' - 10,000'		\$100		
P90-75	550002634	CONVERSIO	N KIT LP TO	NAT. P90-7	5 (Series IV) 0' - 10,000'		\$100		
P90-100	550002701	CONVERSIO	N KIT LP TO	NAT. P90-1	.00 (Series I	V) 0' - 10,000'		\$100		
P90-100	14624002	FILL-TROL	#110 FOR W	ATER BOILER	RS 150 MBH	OR LESS		\$382		
P90-100	14624003	FILL-TROL	#111 FOR W	ATER BOILER	RS OVER 15	0 MBH		\$530		
	P90 - Ve	nting (Use F								
Image	Item Number				iption	- C		Trade Price		
	240009663	2" CPVC 90	° ELBOW					\$35		
	240006819	2" CPVC TE	E, SCHEDUL	E 80				\$46		
	240006822	2" CPVC CC	UPLING					\$30		











15B-K Cast-Iron Chimney Vented Boilers

- MBH Input 59 235 (CH)
- 84% AFUE
- Dependable Cast Iron Heat Exchanger
- Internal Operating Control
- Digital temperature display and diagnostics
- Built-In Low Water Cut-Off (LWCO)
- Control monitors water temperature and delays burner start until residual heat has been transferred to the system for maximum efficiency.
- Low Profile draft hood diverter



	General Information (See IOM for Complete Instructions)											
Model	15B-060K	15B-095K	15B-120K	15B-150K	15B-175K	15B-205K	15B-235K					
Water Return/ Supply	1 1/4" NPT											
Gas		1/2" NPT 3/4" NPT										
Electrical		120 Volts AC, 60	0 hertz, 1 phase, l	ess than 12 amps	(15 amp circuit ı	recommended)						
Water Content (Gallons)	1.9	2.3	2.8	3.2	3.7	4.1	4.6					
A-Height	32 1/8"	32 1/8"	32 1/8"	32 1/8"	32 1/8"	32 1/8"	32 1/8"					
B-Width	13 3/8"	13 3/8"	16 1/4"	19"	21 7/8"	27 1/2"	27 1/2"					
C-Depth	24 1/8"	24 1/8"	24 1/8"	24 1/8"	24 1/8"	24 1/8"	24 1/8"					





RIGHT SIDE

		15B-K - Ca	ast Iron C	himnev	Vented B	oilers			
			Htg.	AHRI				Shp.	T
Model	Item Number	Input MBH	Cap.	Net	AFUE	Fuel	Pump	Wgt.	Trade Price
		МВП	MBH	MBH				lbs	Price
15B-060K	15B306003200407	59	50	43	84.0%	NAT	LESS	215	\$2,261
15B-095K	15B409503200407	92.5	78	68	84.0%	NAT	LESS	250	\$2,490
15B-120K	15B512003200407	120	101	88	84.0%	NAT	LESS	295	\$2,687
15B-150K	15B615003200407	149	125	109	84.0%	NAT	LESS	335	\$3,021
15B-175K	15B717503200407	175	147	128	84.0%	NAT	LESS	385	\$3,345
15B-205K	15B820503200407	205	172	150	84.0%	NAT	LESS	420	\$3,778
15B-235K	15B923503200407	235	197	172	84.0%	NAT	LESS	465	\$4,128
15B-060K	15B306003210407	59	50	43	84.0%	NAT	TACO	215	\$2,428
15B-095K	15B409503210407	92.5	78	68	84.0%	NAT	TACO	250	\$2,659
15B-120K	15B512003210407	120	101	88	84.0%	NAT	TACO	295	\$2,857
15B-150K	15B615003210407	149	125	109	84.0%	NAT	TACO	335	\$3,190
15B-175K	15B717503210407	175	147	128	84.0%	NAT	TACO	385	\$3,512
15B-205K	15B820503210407	205	172	150	84.0%	NAT	TACO	420	\$3,946
15B-235K	15B923503210407	235	197	172	84.0%	NAT	TACO	465	\$4,295
15B-060K	15B306003220407	59	50	43	84.0%	NAT	GRUNDFOS	215	\$2,428
15B-095K	15B409503220407	92.5	78	68	84.0%	NAT	GRUNDFOS	250	\$2,659
15B-120K	15B512003220407	120	101	88	84.0%	NAT	GRUNDFOS	295	\$2,857
15B-150K	15B615003220407	149	125	109	84.0%	NAT	GRUNDFOS	335	\$3,190
15B-175K	15B717503220407	175	147	128	84.0%	NAT	GRUNDFOS	385	\$3,512
15B-205K	15B820503220407	205	172	150	84.0%	NAT	GRUNDFOS	420	\$3,946
15B-235K	15B923503220407	235	197	172	84.0%	NAT	GRUNDFOS	465	\$4,295
15B-060K	15B306013200407	59	50	43	84.0%	LP	LESS	215	\$2,293
15B-095K	15B409513200407	92.5	78	68	84.0%	LP	LESS	250	\$2,512
15B-120K	15B512013200407	120	101	88	84.0%	LP	LESS	295	\$2,706
15B-150K	15B615013200407	149	125	109	84.0%	LP	LESS	335	\$3,095
15B-175K	15B717513200407	175	147	128	84.0%	LP	LESS	385	\$3,411
15B-205K	15B820513200407	205	172	150	84.0%	LP	LESS	420	\$3,784
15B-235K	15B923513200407	235	197	172	84.0%	LP	LESS	465	\$4,139
15B-060K	15B306013210407	59	50	43	84.0%	LP	TACO	215	\$2,494
15B-095K	15B409513210407	92.5	78	68	84.0%	LP	TACO	250	\$2,752
15B-120K	15B512013210407	120	101	88	84.0%	LP	TACO	295	\$2,924
15B-150K	15B615013210407	149	125	109		LP	TACO	335	\$3,226
15B-175K	15B717513210407	175	147	128		LP	TACO	385	\$3,554
15B-205K	15B820513210407	205	172	150	84.0%	LP	TACO	420	\$3,954
15B-235K	15B923513210407	235	197	172	84.0%	LP	TACO	465	\$4,303
15B-060K	15B306013220407	59	50	43	84.0%	LP	GRUNDFOS	215	\$2,494
15B-095K	15B409513220407	92.5	78	68	84.0%	LP	GRUNDFOS	250	\$2,752
15B-120K	15B512013220407	120	101	88	84.0%	LP	GRUNDFOS	295	\$2,924
15B-150K	15B615013220407	149	125	109	84.0%	LP	GRUNDFOS	335	\$3,226
15B-175K	15B717513220407	175	147	128	84.0%	LP	GRUNDFOS	385	\$3,554
15B-205K	15B820513220407	205	172	150		LP	GRUNDFOS	420	\$3,954
15B-205K 15B-235K	15B923513220407	235	197	172	84.0%	LP	GRUNDFOS	465	\$4,303
200 20010		(Use Par						.00	7 1,505
		, ose i a	-е-испа		or-die		61		
Model		Description							Trade
		·						Price	
ALL MODELS	550003778	NATURA	L GAS TO	LP GAS C	ONVERSI	ON KIT			\$88
ALL MODELS	550003884	LP GAS T	O NATUR	AL GAS C	ONVERSI	ON KIT			\$97












15C Cast-Iron Chimney Vented Boilers

- MBH Input 262 299 (CH)
- 84% AFUE
- Dependable Cast Iron Heat Exchanger
- Internal Operating Control
- Digital temperature display and diagnostics
- Built-In Low Water Cut-Off (LWCO)
- Control monitors water temperature and delays burner start until residual heat has been transferred to the system for maximum efficiency.
- Low Profile draft hood diverter



	General Information (See IOM	for Complete Instructions)						
Model	15C-8D	15C-9D						
Water Return/ Supply	1	1/4" NPT						
Gas		1/2" NPT						
Electrical	120 Volts AC, 60 hertz, 1 phase, less t	120 Volts AC, 60 hertz, 1 phase, less than 12 amps (15 amp circuit recommended)						
Water Content (Gallons)	12.7	14.4						
A-Height	36 3/8"	36 3/8"						
B-Width	27 1/2"	30 3/4"						
C-Depth	26 1/2"	26 1/2"						



		15C - Ca	st Iron Ch	nimney V	ented Bo	ilers			
Model	Item Number	Input MBH	Htg. Cap. MBH	AHRI Net MBH	AFUE	Fuel	Pump	Shp. Wgt. lbs	Trade Price
15C-8D	15C826203200307	262	221	192	84.0%	NAT	LESS	552	\$4,628
15C-9D	15C929903200307	299	252	219	84.0%	NAT	LESS	616	\$4,899
15C-8D	15C826203210307	262	221	192	84.0%	NAT	TACO	552	\$4,784
15C-9D	15C929903210307	299	252	219	84.0%	NAT	TACO	616	\$5,055
15C-8D	15C826203220307	262	221	192	84.0%	NAT	GRUNDFOS	552	\$4,784
15C-9D	15C929903220307	299	252	219	84.0%	NAT	GRUNDFOS	616	\$5,055
	15C	(Use Part	s Multipl	ier for Al	l of the F	ollowing	()		
Model	Item Number		Description						
15C	550004168	CONVER	SION KIT	NAT. TO I	_P 15C-8/	9			\$119
15C-8D	43300636	CONVER	SION KIT	LP TO NA	T. 15C-8				\$242













FSB Cast-Iron Induced Draft Chimney/Side Wall Vented Boilers

- MBH Input 42 187 (CH)
- Up to 84.4% AFUE
- Dependable Cast Iron Heat Exchanger with Cast Iron Push Nipples
- Honeywell High Limit/Electronic Ignition Control
 - -Recessed under the boiler's protective jacket
 - -Digital Temperature display and diagnostics
 - -Plug in connection for the inducer fan
 - -Plug in connection for the system pump
- Induced Draft Fan



	General Information (See IOM for Complete Instructions)										
Mode		FSB-2	FSB-3	FSB-4	FSB-5	FSB-6					
Water Return/Sup	ply	1 1/4" NPT									
Gas		1/2" NPT									
Electrical		120 Volts A	.C, 60 hertz, 1 phase	, less than 12 amps	(15 amp circuit reco	mmended)					
Water Content (Ga	allons)	1.75	3.00	4.25	5.50	6.75					
	A-Height	29"	29"	29"	29"	29"					
Dimensions	B-Width	11"	14 1/4"	17 1/2"	20 3/4"	24"					
	C-Depth	23 1/4"	23 1/4"	23 1/4"	23 1/4"	23 1/4"					





RIGHT SIDE

	FSB - Cast I	ron Induc	ed Draft	Chimne	//Side Wa	all Vente	d Boilers		
	Top Cust II		Htg.	AHRI	- ALGAY			Shp.	Tue de
Model	Item Number	Input MBH	Cap.	Net	AFUE	Fuel	Pump	Wgt.	Trade Price
		МВП	MBH	MBH				Lbs	Price
FSB-2	FSB204203110307	42.5	36	31	84.4%	NAT	TACO	225	\$2,589
FSB-3	FSB307503110307	75	63	55	84.0%	NAT	TACO	265	\$2,922
FSB-4	FSB411203110307	112.5	95	82	84.0%	NAT	TACO	322	\$3,221
FSB-5	FSB515003110307	150	127	109	84.0%	NAT	TACO	370	\$3,607
FSB-6	FSB618703110307	187.5	158	135	84.0%	NAT	TACO	431	\$4,221
FSB-2	FSB204203120307	42.5	36	31	84.4%	NAT	GRUNDFOS	225	\$2,589
FSB-3	FSB307503120307	75	63	55	84.0%	NAT	GRUNDFOS	265	\$2,922
FSB-4	FSB411203120307	112.5	95	82	84.0%	NAT	GRUNDFOS	322	\$3,221
FSB-5	FSB515003120307	150	127	109	84.0%	NAT	GRUNDFOS	370	\$3,607
FSB-6	FSB618703120307	187.5	158	135	84.0%	NAT	GRUNDFOS	431	\$4,221
FSB-2	FSB204213110307	42.5	36	31	84.4%	LP	TACO	225	\$2,652
FSB-3	FSB307513110307	75	63	55	84.0%	LP	TACO	265	\$2,981
FSB-4	FSB411213110307	112.5	95	82	84.0%	LP	TACO	322	\$3,285
FSB-5	FSB515013110307	150	127	109	84.0%	LP	TACO	370	\$3,669
FSB-6	FSB618713110307	187.5	158	135	84.0%	LP	TACO	431	\$4,286
FSB-2	FSB204213120307	42.5	36	31	84.4%	LP	GRUNDFOS	225	\$2,652
FSB-3	FSB307513120307	75	63	55	84.0%	LP	GRUNDFOS	265	\$2,981
FSB-4	FSB411213120307	112.5	95	82	84.0%	LP	GRUNDFOS	322	\$3,285
FSB-5	FSB515013120307	150	127	109	84.0%	LP	GRUNDFOS	370	\$3,669
FSB-6	FSB618713120307	187.5	158	135	84.0%	LP	GRUNDFOS	431	\$4,286
	FSB	(Use Part	s Multip	lier for Al	ll of the F	ollowing	5)		
									Trade
Model	Item Number				Descrip	otion			Price
FSB	550002722	NATURA	L TO LP C	ONVERSI	ON KIT (A	ALL SIZES)		\$109
FSB	43300660	LP TO NA	LP TO NATURAL CONVERSION KIT (ALL SIZES)						
			Side Wa	ll Vent H	oods				
FSB	14629010	TJERNLU	JND VH-1	-3" SIDE \	WALL VEN	IT HOOD	(FSB-2 TO FSB-	-5)	\$302
FSB	14629011	TJERNLU	JND VH-1	-4" SIDE \	WALL VEN	IT HOOD	(FSB-6)		\$358











16 Cast-Iron Steam Boilers

- MBH Input 75 299 (CH)
- Up to 82.7% AFUE
- 7 Sizes Available
- Dependable Cast-Iron Heat Exchanger
- Electronic Ignition System
- Automatic Vent Damper
- LWCO (Probe Type) externally mounted for quick access
- Pressure High Limit Control with Pressure Gauge and Gauge Glass
- Stainless Steel Burners
- · Easy Serviceability



	General Information (See IOM for Complete Instructions)											
Model	1603HSID	1604HSID	1605HSID	1606HSID	1607HSID	1608HSID	1609HSID					
Steam Return/ Supply				2 1/2" NPT								
Electrical		120 Volts AC, 60	hertz, 1 phase, l	ess than 12 amp	s (15 amp circuit	recommended)						
A-Height	36 3/8"	36 3/8"	36 3/8"	36 3/8"	36 3/8"	36 3/8"	36 3/8"					
B-Width	11 1/4"	14 1/2"	17 3/4"	21"	24 1/4"	27 1/2"	30 3/4"					
C-Depth	26 1/2"	26 1/2"	26 1/2"	26 1/2"	26 1/2"	26 1/2"	26 1/2"					





RIGHT SIDE

	16 - Cast Iron Steam Boilers										
Model	Item Number	Input MBH	Htg. Cap. MBH	AHRI Net MBH	AHRI Net SQ. FT. Steam	AFUE	Fuel	Shp. Wgt. lbs	Trade Price		
1603HSID	353541106	75	62	47	196	82.7%	NAT	297	\$3,037		
1604HSID	354541106	112	91	68	183	82.0%	NAT	368	\$3,396		
1605HSID	355541106	150	122	92	383	82.0%	NAT	440	\$3,794		
1606HSID	356541106	187	153	115	479	82.0%	NAT	512	\$4,337		
1607HSID	357541106	225	183	137	571	82.0%	NAT	584	\$4,843		
1608HSID	358541106	262	214	161	671	82.0%	NAT	659	\$5,351		
1609HSID	359541106	299	245	184	767	82.0%	NAT	736	\$5,700		

	16 (U	se Parts Multiplier for All of the Following)	
Model	Item Number	Description	Trade Price
1603HSID	43300723	3 SECTION NATURAL GAS TO LP GAS CONVERSION KIT	\$65
1604HSID	43300724	4 SECTION NATURAL GAS TO LP GAS CONVERSION KIT	\$65
1605HSID	43300725	5 SECTION NATURAL GAS TO LP GAS CONVERSION KIT	\$65
1606HSID	43300726	6 SECTION NATURAL GAS TO LP GAS CONVERSION KIT	\$76
1607HSID	43300727	7 SECTION NATURAL GAS TO LP GAS CONVERSION KIT	\$76
1608HSID	43300728	8 SECTION NATURAL GAS TO LP GAS CONVERSION KIT	\$76
1609HSID	43300729	9 SECTION NATURAL GAS TO LP GAS CONVERSION KIT	\$76
1604HSID	43300632	4 SECTION LP GAS TO NATURAL GAS CONVERSION KIT	\$240
1605HSID	43300633	5 SECTION LP GAS TO NATURAL GAS CONVERSION KIT	\$244
1606HSID	43300634	6 SECTION LP GAS TO NATURAL GAS CONVERSION KIT	\$238
1607HSID	43300635	7 SECTION LP GAS TO NATURAL GAS CONVERSION KIT	\$240
1608HSID	43300636	8 SECTION LP GAS TO NATURAL GAS CONVERSION KIT	\$242
1609HSID	43300637	9 SECTION LP GAS TO NATURAL GAS CONVERSION KIT	\$242
	1630001	WF2 WATER FEEDER USED WITH PS802 LWCO	\$611









41K Cast-Iron Commercial Steam Boilers

41K Commercial Boiler Bases are pre-assembled at the factory with burner manifold, burner orifices, gas valves and electronic ignition installed; ready for field installation of the pre-tested sections and appropriate packages.

Electronic Ignition Base Standard Equipment:

- Base
- Fire Door
- Burner Orifice
- Manifold
- · Main and Pilot Burner
- Electronic Pilot Gas Valve
- Intermittent Pilot Module
- Complete Jacket Assembly

Steam Trim Package:

- Low Water Cut-Off
- Glass Gauge Set
- Safety Valve
- Steam Gauge
- Pressure Limit
- Drain Valve



Plug 'N Play Harness and Junction Box

Individual base and junction box controls are designed for easy installation. The entire boiler links together in a snap with a color-coded factory supplied wiring harness.

Gei	neral Information (See IOM for Complete Instruction	ons)			
	Right & Left End Tappings	Opening	Size		
	Return/Supply	А	4"		
D B	Primary LWCO & Guage Glass Set	В	1/2"		
F 6	Drain, Left End	С	3/4"		
A	Drain, Right End	С	3/4"		
В	Plugged	D	1/2"		
	Accessories	Е	1"		
A A	Safety Valve	F*	1"		
	Plugged or Electronic (Probe Type) LWCO	G	3/4"		
C	*If using opening F for other than Safety Valve or Safety Relief Valve, or Safety/Relief valve is larger than 1", Install Safety/Relief Valve in Header Piping as near boiler as possible.				

	41K - Cast Iron Commercial Steam Boilers										
				Net	AHRI Rat	ings		Shp.			
Model	Item Number	Input MBH	Output MBH	Steam PPF	Steam SQ. FT.	Steam BTU (MBH)	Therm. Eff.	Wgt. Lbs	No. of Sect.	Trade Price	
41K300S	CBA030003101107	300	233	1.33	729	175	77.0%	1000	4	\$10,564	
41K400S	CBA040003101107	400	310	1.33	971	233	77.0%	1200	5	\$11,886	
41K500S	CBA050003101107	500	388	1.33	1213	291	77.0%	1400	6	\$13,213	
41K600S	CBA060003101107	600	465	1.33	1454	349	77.0%	1600	7	\$17,181	
41K700S	CBA070003101107	700	543	1.33	1696	407	77.0%	1800	8	\$18,509	
41K800S	CBA080003101107	800	620	1.33	1938	465	77.0%	2000	9	\$19,887	
41K900S	CBA090003101107	900	698	1.33	2183	524	77.0%	2200	10	\$21,340	
41K1000S	CBA100003101107	1000	775	1.33	2421	581	77.0%	2400	11	\$22,662	
41K1100S	CBA110003101107	1100	853	1.33	2667	640	77.0%	2600	12	\$26,737	
41K1200S	CBA120003101107	1200	930	1.33	2908	698	77.0%	2900	13	\$28,059	
41K1300S	CBA130003101107	1300	1008	1.33	3150	756	77.0%	3100	14	\$30,157	
41K1400S	CBA140003101107	1400	1085	1.33	3392	814	77.0%	3300	15	\$31,484	
41K1500S	CBA150003101107	1500	1163	1.33	3633	872	77.0%	3500	16	\$32,840	

41K (Use Parts Multiplier for All of the Following)							
Model	Item Number	Description	Trade Price				
41K	14662311	STEAM MANUAL RESET PRESSURE CONTROL (L4079B1033)	\$350				
41K	1280001	M-M 47-2 LWCO & FEEDER (MODELS 300-1500)	\$1,572				
41K	14662313	STRAP ON OPERATING CONTROL (L6006C-1034)	\$211				










KWC Cast-Iron Chimney Vented Boilers

- MBH Input 112 217
- Up to 86.2% AFUE
- Advanced High Efficiency Heat Exchanger Design
- Hydrolevel Control:
 - -Hydrolevel 3250: with digital display and diagnostics; adjusts the water temperature based on your heating system demand which further reduces your heating costs. It also features a built-in low water cut-off (LWCO) to protect the boiler from potentially dangerous low water conditions.
- Compact Footprint
- Easy Serviceability



General Information (See IOM for Complete Instructions)									
Mode	Model 3KWC 4KWC 5KWC								
Water Return/Sup	ply	1 1/4" NPT							
Drain Valve		3/4" NPT							
Electrical		120 Volts AC, 60 hertz, 1 phase, less than 12 amps (15 amp circuit recommended)							
Water Content (Ga	allons)	9.6	11.6	13.7					
	A-Height	36"	36"	36"					
Dimensions	B-Width	20 1/2"	20 1/2"	20 1/2"					
	C-Depth	14 1/2"	17 3/4"	21"					



		KWC	- Cast Iro	n Chimn	ev Vente	d Oil I	Boilers with B	eckett Burr	ner			
Model	Item Number	Input MBH	Htg. Cap. MBH	AHRI NET MBH	AFUE	Fuel	Pump	Tankless Coil	Firing Rate GPH	Tankless GPM	Shp. Wgt. lbs	Trade Price
3KWC0.80	KWC308031200107	112	98	85	86.0%	OIL	LESS	LESS	0.80	N/A	470	\$2,857
4KWC1.00	KWC410031200107	140	122	106	86.2%	OIL	LESS	LESS	1.00	N/A	545	\$3,066
4KWC1.25	KWC412531200107	175	152	132	86.0%	OIL	LESS	LESS	1.25	N/A	545	\$3,066
5KWC1.35	KWC513531200107	189	167	145	86.0%	OIL	LESS	LESS	1.35	N/A	630	\$4,120
5KWC1.55	KWC515531200107	217	189	164	86.0%	OIL	LESS	LESS	1.55	N/A	630	\$4,120
3KWC0.80	KWC308031210107	112	98	85	86.0%	OIL	TACO	LESS	0.80	N/A	470	\$2,956
4KWC1.00	KWC410031210107	140	122	106	86.2%	OIL	TACO	LESS	1.00	N/A	545	\$3,167
4KWC1.25	KWC412531210107	175	152	132	86.0%	OIL	TACO	LESS	1.25	N/A	545	\$3,167
5KWC1.35	KWC513531210107	189	167	145	86.0%	OIL	TACO	LESS	1.35	N/A	630	\$4,216
5KWC1.55	KWC515531210107	217	189	164	86.0%	OIL	TACO	LESS	1.55	N/A	630	\$4,216
3KWC0.80	KWC308031220107	112	98	85	86.0%	OIL	GRUNDFOS	LESS	0.80	N/A	470	\$2,956
4KWC1.00	KWC410031220107	140	122	106	86.2%	OIL	GRUNDFOS	LESS	1.00	N/A	545	\$3,167
4KWC1.25	KWC412531220107	175	152	132	86.0%	OIL	GRUNDFOS	LESS	1.25	N/A	545	\$3,167
5KWC1.35	KWC513531220107	189	167	145	86.0%	OIL	GRUNDFOS	LESS	1.35	N/A	630	\$4,216
5KWC1.55	KWC515531220107	217	189	164	86.0%	OIL	GRUNDFOS	LESS	1.55	N/A	630	\$4,216
3KWC0.80T	KWC308032200107	112	98	85	86.0%	OIL	LESS	COIL	0.80	3.05	470	\$3,240
4KWC1.00T	KWC410032200107	140	122	106	86.2%	OIL	LESS	COIL	1.00	3.25	545	\$3,450
4KWC1.25T	KWC412532200107	175	152	132	86.0%	OIL	LESS	COIL	1.25	3.50	545	\$3,450
5KWC1.35T	KWC513532200107	189	167	145	86.0%	OIL	LESS	COIL	1.35	3.60	630	\$4,600
5KWC1.55T	KWC515532200107	217	189	164	86.0%	OIL	LESS	COIL	1.55	3.80	630	\$4,600
3KWC0.80T	KWC308032210107	112	98	85	86.0%	OIL	TACO	COIL	0.80	3.05	470	\$3,339
4KWC1.00T	KWC410032210107	140	122	106	86.2%	OIL	TACO	COIL	1.00	3.25	545	\$3,550
4KWC1.25T	KWC412532210107	175	152	132	86.0%	OIL	TACO	COIL	1.25	3.50	545	\$3,550
5KWC1.35T	KWC513532210107	189	167	145	86.0%	OIL	TACO	COIL	1.35	3.60	630	\$4,694
5KWC1.55T	KWC515532210107	217	189	164	86.0%	OIL	TACO	COIL	1.55	3.80	630	\$4,694
3KWC0.80T	KWC308032220107	112	98	85	86.0%	OIL	GRUNDFOS	COIL	0.80	3.05	470	\$3,339
4KWC1.00T	KWC410032220107	140	122	106	86.2%	OIL	GRUNDFOS	COIL	1.00	3.25	545	\$3,550
4KWC1.25T	KWC412532220107	175	152	132	86.0%	OIL	GRUNDFOS	COIL	1.25	3.50	545	\$3,550
5KWC1.35T	KWC513532220107	189	167	145	86.0%	OIL	GRUNDFOS	COIL	1.35	3.60	630	\$4,694
5KWC1.55T	KWC515532220107	217	189	164	86.0%	OIL	GRUNDFOS	COIL	1.55	3.80	630	\$4,694
			KWC (L	Jse Parts		er for	All of the Foll					, , , , ,
Model	Item Number		·				Description	O,				Trade Price
KWC	550002647	4 SECTIO	N RE-RA	TE KIT 41	00/4125							\$30
KWC	550004307	5 SECTIO	N RE-RA	TE KIT 51	55 TO 513	35						\$30
KWC	550004308	5 SECTIO	5 SECTION RE-RATE KIT 5135 TO 5155						\$30			
KWC	14624002	FILL-TRO	L FOR W	ATER BOI	LERS 150	MBH	OR LESS					\$382
KWC	14624003	FILL-TRO	L FOR W	ATER BOI	LERS OVE	R 150	MBH					\$530








SBO Cast-Iron Steam Boilers

- MBH Input 119 210 (CH)
- Up to 85.6% AFUE
- Dependable Cast Iron Heat Exchanger
- Honeywell Operating Control
- Burner swing door for easy serviceability
- Multiple Firing Rates
- Chimney Venting
- Optional tankless domestic hot water (DHW) coil



General Information (See IOM for Complete Instructions)										
Model		SBO-3085	SBO-3105	SBO-4125	SBO-4150					
Return/Supply Tap	opings		1 1/4" Return NPT, 2" Supply NPT							
Oil		3/8" O.D. Copper (runs 50' or less, 1/2" O.D. Copper (runs over 50')								
Electrical		120 Volts AC, 60 hertz, 1 phase, less than 12 amps (15 amp circuit recommended)								
Water Content (Ga	ıllons)	12	12	14.87	14.87					
	A-Height	35"	35"	35"	35"					
Dimensions	B-Width	22 1/8"	22 1/8"	22 1/8"	22 1/8"					
	C-Depth	15 3/4"	15 3/4"	19 3/4"	19 3/4"					






	SBO - Cast Iron Steam Oil Boilers Less Burner										
Model	Item Number	Туре	Input MBH	Htg. Cap. MBH	AHRI Net MBH	AHRI Net Sq. Ft. Steam	AFUE	Burner	Firing Rate GPH	Shp. Wgt. lbs	Trade Price
SBO-3105	SBO310521700107	LESS	147	127	95	396	85.0%	LESS	1.05	538	\$2,670
SBO-4150	SBO415021700107	LESS	210	180	135	563	85.0%	LESS	1.50	650	\$3,754

		SBO (Use Equipment Multiplier for All of the Following)	
Model	Item Number	Description	Trade Price
SBO	550004158P	TANKLESS COIL WITH CONTROL	\$471
SBO-3105	550004153P	SBO-3105 BECKETT BURNER IN A BOX KIT	\$791
SBO-4150	550004154P	SBO-4150 BECKETT BURNER IN A BOX KIT	\$791

Please Note: Oil Fired Steam Boilers are sold less burner. Please add burner in a box kit to your order. Tankless Coil Kits are sold seperately.

	SBO (Use Parts Multiplier for All of the Following)								
Model	Item Number	Description	Trade Price						
SBO	550004155	3085/3105 BECKETT RERATE KIT	\$150						
SBO	550004156	4125/4150 BECKETT RERATE KIT	\$150						





$\textbf{H2O GL} \ \ \textbf{Single Coil Glass Lined Indirect Water Heaters}$

- 31 106 Gallon Capacities
- Easy to Install
- Low Pressure Drop
- Magnesium Anode Rod (Corrosion Protection)
- Enameled Coated Steel Tank and Coil
- Minimal Standby Losses
- Flexible Scratch Resistant Jacket
- Aquastat Sensor Well
- Temperature Pressure Relief Valve



(H2O40GL Model Shown)

	General Information (See	e IOM for Complete Instruction	s)		,					
Maximum Working Pressure: 150 psi for all Capacities										
Model	Piping Conn	ections NPT	Dimensions							
	Domestic Water In/Out	Boiler Water In/Out	Diameter	Height	Weight					
H2O 30 GL	1"	1"	24"	33"	119 lbs					
H2O 40 GL	1"	1"	24"	45"	180 lbs					
H2O 50 GL	1"	1"	24"	51"	200 lbs					
H2O 80 GL	1"	1"	30"	48"	243 lbs					
H2O 105 GL	1"	1"	30"	62"	393 lbs					

	H2O GL - Single Coil Glass Lined Indirect Water Heaters										
Model	Item Number	Storage Capacity gal	Туре	Max. First Hour Rating gal/hr @ 115° F	Continuous Rating gal/hr @ 115° F	Boiler Output Req. BTU/hr	Shp. Wgt. lbs	Trade Price			
H2O 30 GL	H2OIG30PN	31	GLASS LINED	155	124	100,000	119	\$1,231			
H2O 40 GL	H2OIG40PN	42	GLASS LINED	256	220	120,000	180	\$1,256			
H2O 50 GL	H2OIG50PN	53	GLASS LINED	310	268	140,000	200	\$1,429			
H2O 80 GL	H2OIG80PN	79	GLASS LINED	346	281	180,000	243	\$1,983			
H2O 105 GL	H2OIG105PN	106	GLASS LINED	440	345	220,000	393	\$3,102			

H2O GL (Use Parts Multiplier for All of the Following)								
Model	Item Number	Description	Trade Price					
30-105 GAL.	240010926	T & P VALVE 3/4, 100XL-8	\$56					
30-105 GAL.	AQ-020.01	AQUASTAT WELL	\$39					
30-105 GAL.	240009521	AQUASTAT L4080B1352	\$155					
30-50 GAL.	240012211	PLASTIC TOP CAP	\$30					
80-105 GAL.	240012239	PLASTIC TOP CAP	\$43					
40-105 GAL.	240012212	PLASTIC FRONT CAP	\$8					
30 GAL.	550003640	ANODE KIT MAGNESIUM (INCLUDES ANODE, GASKET & BUSHING)	\$41					
40-50 GAL.	550003505	ANODE KIT MAGNESIUM (INCLUDES ANODE, GASKET & BUSHING)	\$41					
80-105 GAL.	550003527	ANODE KIT MAGNESIUM (INCLUDES ANODE, GASKET & BUSHING)	\$79					
30 GAL.	550003693	ANODE KIT ALUMINUM (INCLUDES ANODE, GASKET & BUSHING)	\$40					
40-50 GAL.	550003694	ANODE KIT ALUMINUM (INCLUDES ANODE, GASKET & BUSHING)	\$41					
80-105 GAL.	550003695	ANODE KIT ALUMINUM (INCLUDES ANODE, GASKET & BUSHING)	\$79					
30-50 GAL.	240012250	FLANGE CAP	\$43					
80-105 GAL.	240012251	FLANGE CAP	\$16					
30-50 GAL.	240012210	FLANGE GASKET	\$2					
80-105 GAL.	240012238	FLANGE GASKET	\$4					
40-50 GAL.	550003510	HARDWARE KIT (INCLUDES BOLTS & NUTS FOR FLANGE CAP)	\$4					
80-105 GAL.	550003525	HARDWARE KIT (INCLUDES BOLTS & NUTS FOR FLANGE CAP)	\$4					
H2O 30 GL	240012474	OUTSIDE TANK COVER	\$114					
H2O 40 GL	240012329	OUTSIDE TANK COVER	\$116					
H2O 50 GL	240012330	OUTSIDE TANK COVER	\$124					
H2O 80 GL	240012331	OUTSIDE TANK COVER	\$135					
H2O 105 GL	240012332	OUTSIDE TANK COVER	\$151					
30-50 GAL.	240012483	TEMPERATURE GAUGE	\$17					
80-105 GAL.	240012484	TEMPERATURE GAUGE	\$25					

TERMS & CONDITIONS OF SALE - GENERAL TERMS

PRICES & SPECIFICATIONS: All pricing and specifications subject to change without notice. The prices herein supersede all prior quotations.

ORDERS: Orders will be accepted based on prices in effect at the time the order is received. No order or contract will become an obligation on our part until accepted by the General Sales Department. ECR International shall not be liable for any delay or failure in the delivery or shipment of goods due to any cause or causes beyond its control.

TAXES: Add to the prices and terms quoted any manufacturers' or sales tax payable on the transaction under any effective statute.

SHIPMENTS

TRUCKLOADS: \$50,000 Net Order Value - Freight Prepaid. Indirect Water Heaters and Commercial Boiler lines can be added to any residential order for freight purposes. Authorized Distributors can combine Argo, Airco, Dunkirk, EMI, Olsen, Pennco, Utica Boilers and Utica Heating on one purchase order to earn free freight.

Stop off charges of \$150 will apply to stop off locations within 100 miles of the final destination. Please call for pricing for stop off special handling for a location further than 100 miles or for special handling pricing for services such as lift gate, unloading assistance, etc.

LESS THAN TRUCKLOAD SHIPMENT: F.O.B. ECR INTERNATIONAL - FACTORY OR WAREHOUSE

See Shipping and Delivery Policy for full details.

SALES ORDER INFORMATION CHECK LIST

The following information must be included on equipment or parts orders to insure proper shipment & invoicing:

1)	Purchase Order Number	7)	Pricing
2)	Bill to Address	8)	Product Description (Model, Size, etc.)
3)	Ship to Address	9)	Fuel Type (Oil, Natural Gas, Propane)
4)	Method of Shipment (trailer load, UPS)	10)	Electrical (Operating Voltage, Cycles, Phases, etc.)
5)	Requested Ship Date	11)	Non-Standard Equipment (Indicate "Optional" when substituted for standard equipment at extra cost listed. Indicate added to standard equipment.)
6)	Special Instructions ("Carrier to call")	12)	Kits or Parts (Orders for kits or parts must indicate equipment size and series.)

Send orders to: E-mail: ecrorderentry@ecrinternational.com

Fax: (315) 724-9319

Please note the following Remit to Address: **ECR International, Inc.**

P.O. Box 8000 Department 039

Buffalo, NY 14267

SHIPPING AND DELIVERY POLICY

Order type/value*

Freight Charge*

All UPS, Fed Ex, DHL etc. shipments	Actual Freight Cost Apply
\$0 - \$5,000	Actual Freight Cost Apply
\$5,001 - \$15,000	\$300
\$15,001 – \$49,999	\$250
\$50,000+**	FFA

^{*}The above freight terms apply to single purchase orders or combined purchases orders from one company with one stop totaling the above reference tiers. Additional stops will incur additional charges. Pooling from multiple companies is not allowed under this freight program.

Because of the nature of packaging and shipping constraints EMI, Enviroair and Retroaire do not qualify for this program unless prior approval is obtained.

Except for FFA qualifying orders, the above US shipping rates apply to shipments east of the Mississippi River. If shipments are outside of that area actual freight rates will apply.

These rates apply to destinations where no special delivery requirements are needed. Additional charges will apply when special handling and delivery is incurred. Pre-shipment notification of any special shipping or handling provisions is required. Unless otherwise noted all products will be shipped FOB Shipping Point and transfer of ownership and responsibility is assumed by the customer for all loss or damage. ECR International will not be held liable for any damage, loss or costs which occur due to shipping delay. ECR retains the right to change or alter this program without notice and without penalty

As a reminder, orders of boilers, furnaces, air-conditioning and controls can be combined to achieve freight tiers.

If you have any questions, please contact your ECR representative or ECR Regional Sales Manager.

^{**}Orders of \$50K or more from one company with multiple stops will incur a \$150 stop-off charge per stop after the first. Each stop-off location must be within 100 miles or additional charges will apply.

U.S. DISTRIBUTOR - RETURN MATERIAL POLICY (RMA)

Prior Approval Required - All returns for <u>exchange</u>, <u>credit</u>, <u>repair service</u> or <u>warranty claim</u> must be approved by ECR International and require an RMA number prior to return of the material. A request must be completed via the online web portal. Please log on to www.ecrcustomerportal.com to complete your request for return. If you do not already have access to the customer web portal, please contact ECR International Customer Service at 1-800-325-5479 to be set-up.

Eligibility – An RMA Request must be received within 60 days from the date of invoice for returns of New & Unused product in original packaging. A restocking fee of 15% will be charged for all new and unused returns that are approved for return. Special Order Products (items not offered as standard in ECR International trade price book) are not eligible for return as new and unused product. Request for Warranty Returns must be made within the period covered by the warranty and must fall under the terms and conditions specified in the warranty.

Repair Service - Request for repair or rework of product damaged by customer is classified as Repair Service. Repair Service is billed at \$75.00 per hour for labor and net price for parts used in repair/rework. ECR International's Return Material (RM) department will evaluate the items returned for repair service. The customer will receive an estimate for the dollar amount, determined by ECR International's RM department, required to complete the repairs requested. A Purchase Order (PO) from the customer for that amount will be required before any work is performed.

RMA Expiration Parts - Once the RMA number is issued, the product must be returned within 60 days of the RMA date, or the RMA will be canceled. Products approved for return that are received after 60 days from the RMA date will not be accepted. **Shipping & Packaging** - All returns must have a valid RMA number clearly displayed on the exterior of the package or the package will not be accepted. All returns of new and unused product must be in the original packaging. All returns must be shipped prepaid by the customer unless otherwise directed by ECR as indicated on the RMA Verification. Ship all approved return material to the facility indicated on the approved RMA Request by the date indicated.

Replacement Product - If replacement product is desired it must be indicated on the RMA Request. A PO# is required for the replacement shipment and must be indicated on the RMA Request. All replacement products will be invoiced at the time of shipment. ECR will pay the ground freight for all warranty replacements.

Application of Credit - Credit for returned product will be applied to the customer's account (less restocking fees for New and Unused returns) only after confirmation of receipt by ECR and inspection of the product. Issuance of a credit for a partial return of product does not relieve the customer from the obligation to remit payment for the merchandise not returned in accordance with the payment terms referenced on the customer's invoice(s). Customer will have the option to have any product that is denied for credit returned at their expense.

Returning Installed Finished Goods (Complete boilers, furnaces, A/C units etc.)

- Equipment that is already installed should be repaired not replaced. Exceptions: leaking cast iron boilers in their first year or leaking water tanks. Leaking drain valves on water tanks are replaceable, make sure the leak is not on the valve. Tanks returned with the only leak being on the valve will be denied.
- Cast iron blocks (not complete boilers) older than one year and Indirect tanks that are leaking do not require prior approval. Simply type "Leaking" into the Authorization field and it will be accepted. Complete Cast iron boilers within their first year will still require prior authorization for full boiler replacement.
- Water leaks on copper and condensing boilers are repairable and will require prior authorization for any reason for removal.
- To guarantee credit, if a situation arises where equipment does need to be replaced, *prior authorization* from ECR is required. This will ensure that ECR has visibility to the problem and has had an opportunity to correct it prior to removal. *All equipment considered for removal should first be brought to the attention of Technical Support at 1-800-253-7900*.
- If approved, an authorization number will be given that will need to be entered in the RMA on the Customer Portal.
- For equipment that is removed from service without prior authorization by ECR, contact Customer Service. They will evaluate the circumstance and can issue a conditional RMA. The equipment will be tested in our lab to determine if removal was warranted and if credit will be given.

RMA Expiration Equipment - Once the RMA number is issued, the product must be returned within 30 days of the RMA date, or the RMA will be canceled. Products approved for return that are received after 30 days from the RMA date will not be accepted.

