



Utica Boilers has released two new condensing boiler models the UCS-240 and UCS-380. The UCS-240 and UCS-380 have features such as increased turndown ratios, highest efficiency levels, and unique control functions. Both models include Labor-Saver manifolds for quick and easy Primary/Secondary piping. The UCS-240 and UCS-380 are the ideal choice for larger residential and light commercial applications. The UCS-240 and UCS-380 models will be replacing the SSV-399 and SSC-299 boilers with these advanced built-in features at more competitive price points.

Effective immediately the SSV-399 will be retired. The SSC-299 will continue to be available from ECR's inventory while supplies last. Service parts and support will continue to be available for the SSV-399 and SSC-299 boilers.

The UCS-240 Boiler

- 95% AFUE Efficiency
- 6.7:1 Turndown Ratio
- Optional floor base kit when wall mounting is not practical
- Includes the Labor-Saver Primary/Secondary Manifold
- Boiler loop pump
- Low Water Pressure Sensor



UCS-240



UCS-240 with
Optional Floor Base

The UCS-380 Boiler

- 95% Thermal Efficiency
- 10.5:1 Turndown Ratio
- Floor Standing Model
- Includes the Labor-Saver Primary/Secondary Manifold
- Boiler loop pump
- Low Water Pressure Sensor



UCS-380

Both models have an advanced electronic operating control which ensures reliability:

Anti-Wind Function - control automatically adjusts the fan speed to prevent loss of flame and lockouts
Flame Stabilization - control allows the flame to stabilize before modulating, preventing flame drop outs and recycling

Options for both models include:

- Outdoor Air Sensor
- Indirect Tank Sensor
- Polypro venting with Coaxial, Twin Pipe, and Common Vent Components
- CSD-1 Kits
- LP Conversion kits
- Argo Multiple Boiler Control System



If you have any questions contact your Utica Representative or Regional Sales Manager.

Don DeCarr
Hydronic/Warm Air Product Manager



ECR International Inc. 2201 Dwyer Avenue, Utica, NY 13501
Tel. 800 253 7900
www.ecrinternational.com